



Ulla - Sweater with Cable

No. 2004-201-5536



Materials

7 (8, 8, 9, 9, 10) skeins of Woolpower Big color 02

Straight needle no. 13 (9 mm) Circular needle no. 13 (9 mm) on a 16" (40 cm) wire for collar Cable stitch holder Markers

Yarn quality Woolpower Big, Happy Sheep 100% wool, (3.5 oz) 100 g = 82 yds (75 meters)

Gauge 11 sts and 15 rows = 4" (10 cm) in stockinette st

Buy the yarn here <u>http://shop.hobbii.com/ulla-sweater-with-cable</u>

Size XS (S, M, L, XL, XXL)

Measurements

Width: 16¹/₂" (17.3", 19", 20¹/₂", 22", 23.3") or 42 (44, 48, 52, 56, 60) cm Length: 20" (20", 20¹/₂", 21", 21", 21¹/₄" or 51 (51, 52, 53,53, 54) cm

Pattern information

The sweater is knit on a size 13 (9 mm) needle so it's a quick knit. Back, front and sleeves are knit seperately, back and forth on the needle.

A cable a knit on the front. The parts are sewn together and a turtle neck is knitted on with a circular needle as the last thing.

Hashtags for social media #hobbiidesign #hobbiiulla



Happy knitting!



Sweater

Back

Ribbing

Cast on 45 (47, 51, 57, 61, 65) sts and knit ribbing, like this:

1st row, wrong side: p1, *k1, p1*, repeat from * - * across.

2nd row, right side: k1, *p1, k1*, repeat from * - * across.

Repeat these 2 rows until the ribbing measures approx. 2" (5 cm). Finish with a wrong side row.

Body

Continue in stockinette st and inc. 1 st, like this: K1, pick up the chain between the sts and knit through back loop (1 inc) = 46 (48, 52, 58, 62, 66) sts. Knit straight up until the work measures approx. $19\frac{1}{2}$ " (20", $20\frac{1}{2}$ ", 21", 21", 21.6") or 50 (51,52, 53, 53, 55) cm. Finish on a wrong side row. Cast off all sts.

Front

Cast on 45 (47, 51, 57, 61, 65) sts and knit ribbing, like this: 1st row, wrong side: p1, *k1, p1*, repeat from * - * across. 2nd row, right side: k1, *p1, k1*, repeat from * - * across. Repeat these 2 rows until the ribbing measures approx. 2" (5 cm). Finish with a wrong side row.

NB A cable is knit in the middle of the front. The cable is knit over 9 sts with 2 purl sts on each side.

Body

Continue in stockinette st and separation for cable and inc 4 sts, like this:

Right side: k1, inc 1 st, k19 (20, 22, 25, 27, 29), 1 inc, k5, 1 inc, k19 (20, 22, 25, 27, 29), 1 inc, k1 = 49 (51, 55, 61, 65, 69) sts.

Wrong side: Purl

Right: k18 (19, 21, 24, 26, 28), p2, k9, p2, k18 (19, 21, 24, 26, 28). **Wrong side:** Knit what the sts show.

Repeat the last 2 rows.



From here the cables are knit

1st row, right side: k18 (19, 21, 24, 26, 28), p2, place 3 sts on a cable stitch holder in front of the work, k3, knit the 3 sts on the cable stitch holder, k3, p2, k18 (19, 21, 24, 26, 28). Knit 5 rows of what the sts show.

7th row, right side: k18 (19, 21, 24, 26, 28), p2, k3, place 3 sts on cable stitch holder behind the work, k3, knit the 3 sts on the cable stitch holder, p2, k18 (19, 21, 24, 26, 28). Knit 5 rows of what the sts show.

Repeat these 12 rows until the work measures approx. $16\frac{1}{2}$ -17.3" or 42-44 cm. Finish 3 rows after a cable.

Neck line, left side

Right side: k18 (19, 21, 23, 26, 28), turn and let the remaining sts rest. **Wrong side:** Purl. **Right side:** Knit until there is 2 sts left, k2tog tbl. **Wrong side:** Purl. Repeat the last 2 rows until there is 16 (17, 19, 21, 23, 24) sts left. Knit straight up until the work measures approx. $20\frac{1}{2}$ " ($20\frac{1}{2}$ ", 21", 21", $21^{1}/_{4}$ ", $21^{1}/_{4}$ ") or 52 (52, 53, 53, 54, 54) cm.

Neck line, right side

Place 13 sts on a stitch holder (the center sts on the whole front).
Right side: Knit.
Wrong side: Purl.
Right side: K2tog, k remaining sts.
Wrong side: Purl.
Repeat the last 2 rows until there is 16 (17, 19, 21, 23, 24) sts left.
Knit straight up until the work measures approx. 201/2" (201/2", 21", 21", 211/4", 211/4") or 52 (52, 53, 53, 54, 54) cm.

Sleeves

Ribbing

Cast on 23 (23, 25, 25, 27, 27) sts and knit ribbing, like this: 1st row, wrong side: p1, *k1, p1*, repeat from * - * across. 2nd row, right side: k1, *p1, k1*, repeat from * - * across. Repeat these 2 rows until the ribbing measures approx. 2" or 5 cm. Finish with a wrong side row.



Sleeve

NB The sleeves are knit in stockinette st with increases on each side.

Start increases

Right side: k1, inc 1 st (pick up chain between the sts and knit through back loop), knit until you have 1 st left, inc 1 st, k1 = 2 sts increased.

Increase on every 6th row until you have 41 (43, 45, 45, 47, 49) sts.

Knit straight up until the work measures approx. 18¹/₂" or 47 cm. Finish with a wrong side row.

Sleeve cap

Cast off 4 sts in the beginning of the next 6 rows = 17 (19, 21, 21, 23, 35) sts. Cast of all sts.. Knit the other sleeve just the same.

Assembling

Sew up the shoulder seams.

Sew the sleeves on to the sweater. Sew up sleeve- and side seams.

Collar

Pick up sts around the neckline using a circular needle from the right side. Start by the left shoulder.

Knit in the round on the circular needle.

The collar is knit in ribbing: k1, p1.

NB On the first round you knit together 2 x 2 sts over the cable on 9 sts.

1st round: knit ribbing, while knitting sts together in ribbing over the cable, knit ribbing around = 46 sts.

Knit straight up until the collar measures approx. $5\frac{1}{2}$ " or 14 cm.

Cast off very loosely or use a stretchy bind off.