

KNITTING PATTERN

Amalie Skirt

Design: Irene Rasch | Hobbii Design



MATERIALS

3 (3, 3, 4, 4) skeins of Twister Solid, color 108

Circular needles size 2.5 (3 mm)/ 24" (60 cm) or 32" (80 cm) Stitch markers Elastic band for the waist, 30 mm wide

YARN QUALITY

Twister Solid, Hobbii 55% cotton, 45% acrylic/ 3.5 oz. (100 g) = 437 yds (400 meter)

GAUGE

26 sts and 38 rounds of stockinette st for 4" (10 cm) on a size 2.5 (3 mm) needle.

SIZE

XS (S, M, L, XL)

MEASUREMENTS

Hip, circumference: 23.6" (27½", 31½", 36.2", 40.1" or 60 (70, 80, 92, 102) cm Length: approx. 32" (80 cm)

PATTERN INFORMATION

The skirt is knitted in rib, from the bottom and up.

There is a 12" (30 cm) slit in each side. Up until the slit, the back and front sides are knitted separately, back and forth. Knit 12" (30 cm) on each piece (the slits). Then the work is assembled and knitted in the round. The waist band is knitted in stockinette st and the hem is folded in the waist so an elastic band can be pulled through.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiamalie

BUY THE YARN HERE

http://shop.hobbii.com/amalie-skirt



OUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!



Pattern







FRONT

Cast on 90 (106, 122, 138, 154) sts on a size 2.5 (3 mm) circular needle and knit back and forth.

1st row, wrong side: sl 1 pw with the yarn in front of the needle, p1, *k2, p2*, repeat * - * across.

2nd row, right side: sl 1 kw with the yarn behind the needle, k1, *p2, k2*, repeat * - * across. Repeat 1st and 2nd row until the work measures 12" (30 cm). Finish with a wrong side row.

Put aside.

BACK

Knit a similar piece.

Front and back are assembled and you continue in rib around the needle as the sts show you. Place a marker in each side between the 4 knit sts.

Knit to 1 st before a marker, k2tog, repeat * - * one more time = 2 sts dec.

Knit 9 rounds as the sts show.

Repeat the round with decreases, so there is 2 knit sts in each side.

Place a marker in each side between the 2 knit sts.

Continue in rib until the work measures 24½" (62 cm).

Decreases

From now on, knit decreases for approx. every 0.6'' (1.5 cm), all in all 10 times, like this: Decrease round: *Knit to 1 st before a marker, 2 sts tog*, repeat * - * one more time = 2 sts dec.

Knit 6 rounds as the sts show (= 160 (192, 224, 256, 288) sts)



Waist, waistband

Knit 1.2" (3 cm) stockinette st.

Note test if the width fits the elastic band.

Purl 1 round for the hem/folding line.

Knit 1.2" (3 cm) stockinette st.

Bind off.

ASSEMBLING

Fold the waist at the hem/folding line and sew the cast on edge to the wrong side, so a waistband is created. Leave an opening for drawing through the elastic band. Cut a piece of elastic band fitting your waist.

Draw the elastic band through the waistline and sew the ends of the elastic band together. Close the opening of the waistband on the wrong side.