



CROCHET PATTERN

Lemon

Top

Design: Maria Trujillo | Hobbii Design



MATERIALS

8 (9, 10, 11) skeins of Rainbow Cotton
8/4 color 90

Crochet hook 2.5 mm
2 small buttons
4 stitch markers

YARN QUALITY

 **Rainbow Cotton 8/4**, Hobbii
100 % cotton
50 g = 170 m

GAUGE

10 cm x 10 cm (4" x 4") = 22 sts x 12.5 rows
of DC
Gauge is crucial for correct fit.

ABBREVIATIONS

ch = chain
sc = single crochet
dc = double crochet
Fpdc = front post double crochet
Bpdc = back post double crochet
Inc = 2 double crochet in the same st
V-st = dc, ch 1, dc in same st
Picot = chain 3, sl st in 3rd ch from hook

SIZE

XS (S, M, L) XL

MEASUREMENTS

Width: 41 (46, 53, 58) 64 cm / 16" (18", 21",
23") 25"
Length: 43 (43, 43, 46) 46 cm / 17" (17", 18",
18") 19"

PATTERN INFORMATION

Super cute top with lace pattern on the sleeves and beautiful details in the neck. It is very important to keep track of your stitch markers in order for the lace pattern to turn out correctly, so this is a pattern for intermediate crocheters.

HASHTAGS FOR SOCIAL MEDIA

#hobbilemon
#hobbiidesign

BUY THE YARN HERE

<https://shop.hobbii.com/lemon-top>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com
Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



INFO AND TIPS

Keeping track of your stitch markers is very important in this pattern

Front and back st counts are determined by the number DC between SM

CH 2 does not count as a st in this pattern unless otherwise stated.

For the (2 DC FPDC or BPDC) sts framing the DC sections, they are done all in the same stitch. This is crucial for correct fit and stitch count.

YOKE

Foundation SC 88(88,92,92)92 sts

Round 1: CH 2, **DC in next 13[13,14,14,]14 sts**,*(DC 2, FPDC, **PM**) in next st, V-st in next SC, [CH 2, skip 3 sts, DC in the next st, CH 2, skip next 3 sts, V-st in the next DC]REPEAT 1 time, (FPDC,PM, 2 DC) in next st,** **DC in next 25,[25,28,28]28 sts**, REPEAT from * to ** then, **DC in next 12[12,14,14]14 sts**, CH 2, TURN
(Front DC Count: 32(32,32,34)34 sts, Back DC Count: 31(31,31,33)33 sts)

Round 2: DC to 1st SM, ***RM**(2 DC,(**PM**), BPDC)in next st, DC in next DC, [CH 2, 3 DC in CH 1 space of V-st, CH 2, DC in next DC] REPEAT to SM, **RM**(BPDC, (**PM**), 2 DC)in next st**,DC to SM, REPEAT from * to ** then, DC to end CH 2, TURN
(Front DC Count: 36(36,36,38)38 sts, Back DC Count: 35(35,35,37)37 sts)

KEEP removing(RM) and replacing(PM) stitch markers (SM) in FPDC and BPDC in each round.

Round 3: DC to 1st SM, *(2 DC, FPDC)in next st, DC, [CH 1, 5 DC in 2nd DC of 3 DC shell, skip next DC, CH 1, DC in next DC] REPEAT to SM, (FPDC, 2 DC)in next st**, DC to SM, REPEAT from * to ** then, DC to end CH 2, TURN
(Front DC Count: 40(40,40,42)42 sts, Back DC Count: 39(39,39,41,41) sts)

Round 4: DC to 1st SM, *(2 DC, BPDC)in next st, DC in next DC, [7 DC in the 3rd DC of 5 DC shell, skip next 2 DC, DC in the next DC] REPEAT to SM, (BPDC, 2 DC)in next st**, DC to SM, REPEAT from * to ** then, DC to end CH 2, TURN



(Front DC Count: 44(44,44,46)46 sts, Back DC Count: 43(43,43,45,45 sts)

Round 5: DC to 1st SM, *(2 DC, FPDC)in next st, V-st in next DC, [CH 2, DC in the 4th DC of the 7 DC shell, skip next 3 DC, CH 2, V-st in next DC] REPEAT to SM, (FPDC, 2 DC)in next st**, DC to SM, REPEAT from * to ** then, DC to end CH 2, TURN
(Front: 48(48,48,50)50 sts, Back: 47(47,47,49,49 sts)

REPEAT ROWS 2-5 1 MORE TIME, a TOTAL of 9 rows

After the end of Row 9, CH 2, SL ST, across to the other edge joining in the round the two back panels. Cut yarn.

Attach yarn in the stitch after FPDC on the RIGHT SIDE of the BACK of the garment so you will be crocheting across the back first. Make sure you crochet 2 DC in the chain 2 space, Now you will be going in the round and not turning.

Round 1: CH 2,*DC to SM, (2 DC, FPDC)in next st, DC in the 1st DC of V-st, [CH 2, 3 DC in CH 1 of V-st, CH 2, DC in next DC] REPEAT [] to SM,(FPDC, 2 DC)in next st, REPEAT from * to end. SL ST in top of BOR.

Round 2: CH 2,*DC to SM, (2 DC, FPDC)in next st, DC in next DC, [CH 1, 5 DC in 2nd DC of 3 DC shell, skip next DC, CH 1, DC in next DC] REPEAT [] to SM,(FPDC, 2 DC)in next st**, REPEAT from * to ** then, DC to end, SL ST in top of BOR.

Round 3: CH 2, *DC to SM, (2 DC, FPDC)in next st, DC in next DC, [7 DC in the 3rd DC of 5 DC shell, skip next 2 DC, DC in next DC] REPEAT [] to SM, (FPDC, 2 DC)in next st**, REPEAT from * to ** then, DC to end, SL ST in top of BOR.

Round 4: CH 2, *DC to SM, (2 DC, FPDC)in next st, V-st in 1st DC, [CH 2, DC in 4th DC of 7 DC shell, skip next 3 DC, CH 2, V-st in next DC] REPEAT [] to SM, (FPDC, 2 DC)in next st**, REPEAT from * to ** then, DC to end, SL ST in top of BOR.

REPEAT Rounds 1-4 until you have 13(16,18,20)23 TOTAL Rounds &
(Front & Back DC Count 79(91,102,110)122 sts)

Now you will be working SLEEVE INCREASES ONLY:

SLEEVE ONLY INCREASE ROWS:

Continue with the row you are on in the lace pattern.

Round 1: CH 2,*DC to SM, (FPDC)in next st, DC in the 1st DC of V-st , [CH 2, 3 DC in CH 1 of V-st, CH 2, DC in next DC] REPEAT [] to SM, (FPDC)in next st, REPEAT from * to end. SL ST in top of BOR.

Round 2: CH 2,*DC to SM, (FPDC)in next st, DC, [CH 1, 5 DC in the 2nd of 3 DC shell, skip next DC, CH 1, DC in next DC], REPEAT [] to SM,**(FPDC)in next st, REPEAT from* to ** then, DC to end, SL ST in top of BOR.



Round 3: CH 2, *DC to SM, (FPDC)in next st, DC, [7 DC in the 3rd DC of 5 DC shell, skip next 2 sts, DC in next DC] REPEAT [] to SM, (FPDC)in next st, REPEAT from* to ** then, DC to end, SL ST in top of BOR.

Round 4: CH 2, *DC to SM, (FPDC)in next st, V-st in 1st DC, [CH 2, DC in the 4th DC of the 7 DC shell, skip next 3 DC, CH2, V-st in next DC] REPEAT from [] to SM, (FPDC), REPEAT from* to ** then, DC to end, SL ST in top of BOR.

CONTINUE working **SLEEVE INCREASE** rounds until **YOKE** measures 15(16,18,19)20 cm or 6"(6.5",7",7.5")8" from the center of front or at a TOTAL of 18(21,22,24)26 rounds.

Cut yarn, and sew in ends.

BODY

Attach Yarn in the bottom RIGHT CORNER into the st after the FPDC of the BACK of YOKE.

Round 1: CH 2, DC across back to SM, *RM, DC in the next st, CH 9(9,9,17)17, RM, DC into FPDC, DC across FRONT to SM, RM, DC in the next st, CH 9(9,9,17)17, DC in last st, SL ST in BOR.
[176(200,222,254)278sts] or 16"(18",20",23")25" wide

Try on the yoke. It should fit a bit snug but not dig in the underarm. The goal is to be fitted. If you need more space do another round of SLEEVE INCREASE ROWS.

Round 2: CH 2, DC in each st around, SL ST in BOR.

[176(200,222,254)278sts]

REPEAT Round 2 until BODY measures 25(25,25,28)28 cm or 10"(10",10",11")11" or Desired Length from under the sleeve.

[176(200,222,254)278 sts]

BORDER:

Round 1: CH 1, SC in each st around, **INC 1(INC 1, DEC 2, INC 2) DEC 2 sts** in this round, SL ST in BOR. **(177(201,220,256)276sts)**

Round 2: CH 1, *SC, skip 2 sts, 7 DC in next st, skip 2 sts, REPEAT from * around to last st, SL ST in BOR.

Cut yarn, and sew in ends.

SLEEVES (WORKED in the ROUND)

Attach yarn in the last stitch of chain,

DC Round: CH 2, Continue LACE PATTERN to chain, DC in the next 8(8,8,16)16 sts, SL ST in BOR.

CONTINUE the LACE PATTERN and the 8(8,8,16)16 DC sts in the ROUND until you reach the 7 DC shell round then, continue on.

Round 1: CH 5, [V-st on top of DC, CH 2, DC in the 4th st of the 7 DC shell, skip next 3 sts, CH 2] REPEAT from [] to DC section then, Continue pattern skipping 3 sts between V st and DC ending with a DC, SL st in BOR.

Round 2: CH 2, DC in same st, [CH 2, 3 DC in CH 1 space of V-st, CH 2, DC in next DC], REPEAT [] to end. SL ST in BOR.

Round 3: CH 2, DC in same st, [CH 1, 5 DC in 2nd DC of 3 DC shell, skip next DC, CH 1, DC in next DC], REPEAT [] to end. SL ST in BOR.

Round 4: CH 2, DC in same st, [DC 7 in the 3rd DC of 5 DC shell, skip next 2 DC, DC in next DC], REPEAT from [] to end. SL ST in BOR.

Round 5: CH 2, DC in same st, [CH 2, DC in the 4th DC of 7 DC, skip next 3 DC, CH 2, V-st on top of next DC], REPEAT from [] to the last repeat, CH 2, DC in next DC, CH 2, 2 DC in the last st. SL ST in BOR.

Round 6: CH 2, DC in same st, [CH 2, DC in next DC, CH 2, 3 DC in CH 1 space of V-st], REPEAT from [] to the last repeat, CH 2, DC in next DC, CH 2, 2 DC in last st. SL ST in BOR.

Round 7: CH 2, 2 DC in same st, skip next DC [CH 1, DC in next DC, CH 1, 5 DC in 2nd DC of 3DC shell, skip next DC], REPEAT from [] to the last repeat, CH 1, DC in next DC, CH 1, 3 DC in last st. SL ST in BOR.

Round 8: CH 2, 3 DC in same st, skip next 2 DC, [DC in next DC, 7 DC in 4th DC of 5 DC shell, skip next 3 DC], REPEAT from [] to the last repeat, DC in next DC, 4 DC in last st. SL ST in BOR.

STOP here if you like length, cut yarn. If you want more length continue Rows 1-8 to the desired length.

COLLAR

You will be decreasing the shells in each row for the collar.

Row 1: Attach yarn at the top edge of the collar, CH 1, SC in the same and next 0(0,0,2)2 sts, *skip 2 sts, 7 DC in next st, skip 2 sts, SC, REPEAT from * to last 0(0,0,1)1 st, SC in last if needed, Turn.

Row 2: CH 2, DC in next 0(0,0,2)2 sts, *5 DC in the 3rd st of 7 DC shell, skip next 3 DC, DC in SC of last round, REPEAT around from to last 0(0,0,1)1 st, DC in last if needed. Turn.

Row 3: CH 2, DC in next 0(0,0,2)2 sts, *3 DC in 3rd DC of 5 DC, skip next 2 DC, DC in DC, REPEAT from * around to last 0(0,0,1)1 st, DC in last if needed, Turn.

Row 4: CH 1, *SC in next 2 sts, Picot, REPEAT from * to end.
Cut yarn, and sew in ends.

Button Holes on Collar

Attach yarn on the right side of the lace collar. Working down the side SL ST down the side of the ENTIRE hole, ending at the bottom 2 CHs, SL ST 2 across the bottom CH 2 space and up to the bottom of lace collar rounds. Starting at the base of the lace rounds, [CH 4, sl st in next 3 sts] REPEAT 2 more times ending at the top edge of the collar. Cut yarn, and sew in ends.

Sew button to corresponding holes.

Enjoy!

Maria - HomemadeHeart44