



CROCHET PATTERN

Horizon

Children's Cardigan

Design: Crafty Maz Designs | Hobbii Design

MATERIALS

1 (1, 2, 2, 2, 2, 2, 2, 3) skein(s) of Horizon color 02

1 skein of Kind Feather color 01

Crochet hook 5 mm (US H/8)

Stitch markers

Tape measure

Embroidery needle

Scissors

5 Buttons - 15,0mm

YARN QUALITY

 **Horizon**, Hobbii

100 % Premium Acrylic,

200 g / 7 oz. = 550 m / 601 yds.

 **Kind Feather**, Hobbii

100 % Premium Acrylic,

100 g / 3.5 oz. = 235 m / 257 yds

GAUGE

10 cm x 10 cm (4" x 4") = 4 rounds of the hexagon pattern

ABBREVIATIONS

ch = chain

sc = single crochet

dc = double crochet

cl = cluster (3 double crochets in the same stitch)

slst = slip stitch

sk = skip

sp = space

CB = centre back

fpdc = front post double crochet

bpdc = back post double crochet

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at

support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!

SIZE

1-2 (2-3, 3-4, 4-5, 5-6, 6-7, 7-8, 8-9, 9-10) years

MEASUREMENTS

Circumference: 53 (55.75, 58.5, 61, 63.5, 65.5, 67, 69, 71) cm / 21 (22, 23, 25, 25, 25.5, 26.25, 27.25, 28) inches

Length: 31.5 (32.5, 34, 35.5, 36.5, 39, 41.5, 43.5, 45.5) cm / 12.5 (12.75, 13.5, 14, 14.5, 16.25, 17.25, 18) inches

PATTERN INFORMATION

This cardigan is made from two hexagons that are then crocheted together to form one body piece. The sleeves, extra body length and edging are then crocheted straight from the body piece.

The cardigan is made to measure – you can go off your own body measurements or use the measurements from the table. Simply take your bust measurement and then complete the size that is best matched to you.

This pattern is ideal for advanced beginners and above. There are many photos throughout for guidance.

HASHTAGS FOR SOCIAL MEDIA

#hobbiihorizon

#hobbiiidesign

BUY THE YARN HERE

<https://shop.hobbii.com/horizon-children-s-cardigan>



Pattern



INFO AND TIPS

- Ch 3 counts as a dc, this can be replaced with a standing dc if preferred
- There is no right side or wrong side until the seaming process
- You need to complete the same number of rounds/rows for each hexagon and sleeve, so make sure to make a note of the number or rounds/rows you do for the first hexagon and sleeve, so you do the same for the second.

MEASUREMENTS

Size		1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10
Chest	IN	21	22	23	24	25	25.5	26.25	27.25	28
	CM	53	55.75	58.5	61	63.5	65.25	67	69	71
Quarter Chest	IN	5.25	5.5	5.75	6	6	6.5	6.5	6.75	7
	CM	13.25	14	14.5	15.25	15.75	16.25	16.75	17.25	17.75
Length	IN	12.5	12.75	13.5	14	14.5	14.5	16.25	17.25	18
	CM	31.5	32.5	34	35.5	36.5	39	41.5	43.5	45.5
Arm Depth (measured around the arm)	IN	8.5	9	9.5	10	10	10.5	11	11.5	12
	CM	22	23	24	25	26	27	28	29	30
Centre Back to Wrist	IN	14	14.75	15.5	16	16.5	17.25	18	19	20
	CM	35.5	37.5	39.5	40.75	42	44	46	48.5	51

BODY

Make 2 Hexagons

Start with a magic circle, or ch 4 and slst to the first ch to make a circle (photo 1)

Round 1: ch 3, 2 dc back into the circle (counts as the first cl), ch 2, *cl, ch 2* into the circle 5 times, slst to top of ch 3, turn, slst into ch 2 sp, pull the tail end tight to close the hole (photo 2)

{6 cl's, 6 ch 2 corners}


Round 2: ch 3, 2 dc back into the corner sp (counts as the first cl), *cl, ch 2, cl* into the next 5 sps which creates the corners, cl into the final sp, ch 2, slst to top of ch 3, turn, slst into ch 2 space, (photo 3)

{12 cl's, ch 2 in each corner}

Round 3: ch 3, 2 dc back into the corner sp (counts as the first cl), cl in-between the cls from the previous round, *cl, ch 2, cl into the corner sp, cl in-between the cls from the previous round* repeat until the last corner, cl into the final corner sp, ch 2, slst to top of ch 3, turn, slst into ch 2 sp, (photo 4)

{18 cl's, ch 2 in each corner}

Repeat round 3 until you reach close to measurement 'Arm Depth' along one of the sides of the hexagon (photo 5). Each round goes up by 6 cl's. Continue working straight onto 'Reaching chest measurement'.



1



2



3



4



5

Reaching chest measurement...

Continue working around your hexagon turning at the end of each row but only working along 3 sides. This will increase the width and length of the body but will not increase the sleeve length or circumference.

***Note:** For some sizes you may only need to complete up to row 2 to reach measurement.

Row 1: ch 3, 2 dc back into the corner sp, cl in-between the cls from the previous round until you reach the corner, *cl, ch 2, cl into the corner sp, cl in-between the cls from the previous round* repeat twice, cl into the final corner sp, turn, (photo 1)

Row 2: ch 3, cl in-between the cls from the previous round until you reach the corner, *cl, ch 2, cl into the corner sp, cl in-between the cls from the previous round* repeat twice, dc into the ch 3, turn, (photo 2 and 3)

Row 3: ch 3, 2 dc into the next sp (photo 4), cl in-between the cls from the previous round until you reach the corner, *cl, ch 2, cl into the corner sp, cl in-between the cls from the previous round* repeat twice, 2 dc into the final sp, dc into the ch 3, turn, (photo 5)


*Repeat rows 2 and 3 until you reach measurement 'Quarter Chest' from the centre point to an outside edge you have just been working, the red lines show the extended sides (photo 6). Make sure that your last row completed is row 2. Fasten off the first hexagon, but do not fasten off after completing the second one. Proceed onto seaming the back.



1



2




3



4



5




6

Seaming the two hexagons together

You will now seam the two hexagons together. Lay your hexagons out so the joining seams (photo 1- red dotted lines) of the hexagons are the same side. To get the 'L' shape you will fold the middle side of the extended sides in half (A in photo 6 above), and the rest will fall into place. The area marked by the blue lines should be wider than the area marked with the green lines (photo 1).

You will now seam the back (photo 1- black line).



1

Seaming the back

Picking up from where you left on the 'first side', you will be working from **A** to **B** to **C** to **D**, or if left handed this will be in reverse.

ch 3, 2 dc into the next sp, cl in-between the cls from the previous round until you reach the corner, cl into the corner,

Now working on the 'second side'...

"Second side"

"First side"



1

Make a cluster into the corner sp **C** of the second side (photo 2)

Slst into the first cl sp of the first side (photo 2)

Cl into the next cl sp on the second side, slst into the next cl sp on the first side (photo 3) repeat between ** until the last sp on the second side, cl into that sp, slst into the ch 3 of first side (photo 4). Fasten off. Shown in photo 5 is the back of the cardigan.



Seaming the sleeves and shoulder edge

Attach yarn in the top left corner of the front opening with the right side of the cardigan facing (or right corner if left-handed), ch 3, 2 dc back into the same sp, cl in each space across until the corner sp, cl in the corner (photo 1),

Now working on the back side...

Make a cluster into the corner sp on the back side, slst into the first cl sp of the front side,

cl into the next cl sp on the back side, slst into the next cl sp on the front side repeat between ** until you slst into the ch 3 of the front side, (photo 2),

cl into the CB join (photo 3),

cl into each sp along the back until the corner, cl into the corner (photo 4),

Now working on the front side...

Make a cluster into the corner sp of the front side, slst into the first cl sp of the back side, *cl into the next cl space on the front side, slst into the next cl sp on the back side* repeat between ** until you place your last slst into the space before the CB cl (photo 5). Fasten off.



1



2



3



4



5



6

Sleeves – repeat for both sleeves

Working with the right side facing, attach yarn in the seam sp (photo 1),

Round 1: ch 3, 2 dc into the sp below, cl in-between each cl around, slst into the top of ch 3,

Repeat round 1 until you reach measurement 'Centre back to wrist' from the CB seam to the end of the sleeve (or until desired length minus 10cm/4in for the decrease rounds and ribbing).

Decrease Rounds –

Round 1: ch 3, dc into the sp below, 2 dc in each cl sp around, slst into the top of ch 3,

Note for round 2 – place 1 or 2 dc in the last sp to finish on an even number of sts

Round 2: ch 3, dc into the same sp, *dc 1 in the next sp, 2 dc in the next sp* repeat between ** until the end, slst into the top of ch 3,

Round 3: ch 1 (does not count as a st), fpdc down around the ch 3, bpd around the next st, *fpdc around the next st, bpd around the next st*, repeat between ** around, slst to the first st,

Round 4: ch 1 (does not count as a st), fpdc around the first st, bpd around the next st, *fpdc around the next st, bpd around the next st*, repeat between ** around, slst to the first st,

Round 5 – 7: Repeat round 4. Fasten off.



1



2

Adding Length

With the right side facing and the cardigan upside down, attach yarn in the corner of the left opening (or the right if left-handed),

Working along the bottom edge of the cardigan only,

Row 1: ch 3, 2 dc back into the corner sp, cl in-between the cls along the bottom edge including one cl in the join sp until you reach the opposite side at the corner, cl into the final corner sp, turn,

Row 2: ch 3, cl in-between the cls from the previous row until you reach the end, dc into the ch 3, turn,

Row 3: ch 3, 2 dc into the next sp, cl in-between the cls from the previous row until the last sp, 2 dc into the final sp, dc into the ch 3, turn,

Repeat rows 2 and 3 until you reach measurement 'Length' from the top of the cardigan to the bottom. Make sure that your last row completed is row 2. Do not fasten off, proceed onto 'Outer Edge'.

Outer Edge – Right side facing

Now you will be working cls around the opening edges of the cardigan.

Round 1:

Bottom edge – slst into the first sp, ch 3, 2 dc into the sp below (photo 1), cl into each sp across until the last sp, cl into the last sp, ch 2, (photo 2),

Working up the first side – cl back into the same sp (this creates a corner - photo 3), cl into each sp along the edge until you reach the CB cl,

Back side – cl into the sp to the right of the CB cl (photo 4), cl in the sp to the left of the CB cl (photo 5),

Working down the second side – cl into each sp along the edge, ch 2, slst to the beginning ch 3, change colour to Kind Feather 02 (photo 6).



1



2




3



4



5



6

Round 2: Working right side facing

Ch 3, 2 dc in to the sp directly below, sk the first st (this may be hidden), work 1 dc into each st along the bottom edge until the corner, work (cl, ch 2, cl) into the corner sp, sk the first st (this may be hidden) work 1 dc into each st around until the final corner, cl into the corner sp, ch 2, slst to the beginning ch 3, fasten off.



Attaching buttons – optional

With the right side of the cardigan facing, using Kind Feather 02 and an embroidery needle, sew 5-8 buttons onto the right-hand side. Ideally you need to space the buttons 5 dc's apart to avoid gaping. The buttons should be placed evenly so that there is one at the bottom of the cardigan and one in line with the arm pit.



Enjoy!

Mary Etheridge – Crafty Maz Designs

