



KNITTING PATTERN

Marshmallow Swirls

Sweater

Design: [Lirio.knits](#) | Hobbii Design

MATERIALS

Tweed Delight

3 (4, 4, 5, 5, 6) skeins of color 16, Pink Confetti (C1)

1 (2, 2, 3, 3, 4) skein(s) of color 02, Ivory Neon (C2)

1 (2, 2, 3, 3, 4) skein(s) of color 01, White Marble (C3)

3 (4, 4, 5, 5, 6) skeins of color 07, Misty Blue (C4)

Circular needle 5 mm, 60 cm /US 8, 24"

6 stitch markers

Darning needle

Scissors

Cable needle

Additional cable or scrap of yarn

YARN QUALITY

 **Tweed Delight**, Hobbii

85% wool, 10% acrylic, 5% viscose

50 g / 1.75 oz = 100 m / 109 yds

GAUGE

19 sts x 25 rows = 10 cm x 10 cm / 4" x 4"

SIZE

XS (S, M, L, XL, XXL)

MEASUREMENTS

Width: 44 (49, 55, 59, 64, 69) cm / 17" (19, 21, 23, 25, 27)"

Length: 45 (50, 54, 58, 62, 69) cm / 18" (20, 21, 23, 24, 27)"

Sleeve length (from cuff to underarm): 42 (43, 43, 45, 45, 46) cm / 16.5" (17, 17, 17.7, 17.7, 18)"

PATTERN INFORMATION

This sweater is knitted bottom up in the flat. It's a boxy fit, therefore, no decreases are to be made for the armholes.

Both front and back are worked separately, then sewn together at the shoulders to pick stitches up for the sleeves, which have a balloon shape, with a long cuff in 1x1 ribbing.

While it is a simple shape and construction, it requires a bit of expertise on cables, intarsia and fair isle, as these techniques are combined at the front of the body.

The back is split in two different colours and a simple intarsia has to be worked in the middle.

Due to its techniques, the pattern is recommended for confident beginner to intermediate knitters.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiimarshmallowswirls

#hobbiicandyland

BUY THE YARN HERE

<https://shop.hobbii.com/marshmallow-swirls-sweater>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at

support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

K = knit

P = Purl

St st = Stockinette Stitch

PM = Place marker

SM = Slip marker

C1/C2/C3/C4 = colour 1/2/3/4

RS = Right side

WS = Wrong side

Rep = Repeat

ssk = slip, slip, knit

k2tog = knit 2 together

m1r = make 1 right

3/3 RC = slip 3 sts to cable needle and hold in the back. Knit 3, knit 3 from cable needle.

INFO AND TIPS

For the cables, you'll have to work intarsia and fair isle. Up until the first cross, you'll have to work intarsia. Once the colors are crossed, you'll have to work fair isle. Try to keep the floats on the WS loose so the cable has the same tension throughout the front.

FRONT PANEL

Rib edge

With C2, cast on 84 (94, 104, 112, 122, 132) sts on 5 mm (US8) circular needles with your preferred cast on technique.

Rows 1 to 9 (9, 13, 17, 21, 23): In C2, work in 2x2 rib (k2, p2 until end of row). Your last row should be a WS row. Cut C2.

Row 10 (10, 14, 18, 22, 24): On the RS, start with C1 and k 15 (18, 21, 23, 26, 29), PM, p2, k3. Without cutting C1, attach C3 and k3, p2, PM, k 12 (14, 16, 18, 20, 22), PM, p2, k3. Without cutting C3, attach C2 and k3, p2, PM, k 12 (14, 16, 18, 20, 22), PM, p2, k3. Without cutting C2, attach C4 and k3, p2, PM, k 15 (18, 21, 23, 26, 29).

Row 11 (11, 15, 19, 23, 25): Work all sts as they appear in St st (purl all purls, knit all knits). SM when you come to them, and work the colour changes with intarsia.

Row 12 (12, 16, 20, 24, 26): Work all sts as they appear in St st.

Rows 13 (13, 17, 21, 25, 27) to 19 (19, 23, 27, 31, 33): Repeat rows 11 (11, 15, 19, 23, 25) and 12 (12, 16, 20, 24, 26).

Row 20 (20, 24, 28, 32, 34): K 15 (18, 21, 23, 26, 29), SM, p2, 3/3 RC (from now until the next cross, you'll swap to fair isle instead of intarsia. **Remember to keep floats loose!**), p2, SM, k 12 (14, 16, 18, 20, 22), SM, p2, 3/3 RC, p2, SM, k 12 (14, 16, 18, 20, 22), SM, p2, 3/3 RC, p2, SM, k 15 (18, 21, 23, 26, 29).

Row 21 (21, 25, 29, 33, 35): Work all sts as they appear in St st. SM when you come to them, and work the colour changes with fair isle.

Row 22 (22, 26, 30, 34, 36): Work all sts as they appear in St st.

Rows 23 (23, 27, 31, 35, 37) to 29 (29, 33, 37, 41, 43): Repeat rows 21 (21, 25, 29, 33, 35) and 22 (22, 26, 30, 34, 36).

Row 30 (30, 34, 38, 42, 44): Repeat row 20 (20, 24, 28, 32, 34). Now you're back to working intarsia.

Rows 31 (31, 35, 39, 43, 45) to 97 (109, 121, 131, 141, 157): Repeat rows 11 (11, 15, 19, 23, 25) to 30 (30, 34, 38, 42, 44). What you'll do is 9 rows in St st, one 3/3 RC row, 9 rows in St st, and another 3/3 RC row. As you work the crossings, you'll swap from intarsia to fair isle and vice versa.

Row 98 (110, 122, 132, 142, 158): K 15 (18, 21, 23, 26, 29), SM, p2, k3 in C1, k3 in C3, p2, SM, k 4 (6, 6, 6, 6, 6), cast off 26 (26, 30, 34, 38, 42), k 4 (6, 6, 6, 6, 6), SM, p2, k3 in C2, k3 in C4, p2, SM, k 15 (18, 21, 23, 26, 29).

Slip the 29 (34, 37, 39, 42, 45) sts you first worked onto an additional cable or scrap of yarn. These are the sts for the left shoulder. Leave them on hold as you work the right shoulder.

Row 99 (111, 123, 133, 143, 159) of right shoulder- WS: in C4 p 15 (18, 21, 23, 26, 29), SM, k2, p3, in C2 p3, k2, SM, p 4 (6, 6, 6, 6, 6).

Row 100 (112, 124, 134, 144, 160): K2, ssk, k according to pattern until you reach your marker, SM, p2, k3, k3, p2, SM, k 15 (18, 21, 23, 26, 29). You've decreased one stitch and should have 28 (33, 36, 38, 41, 44) sts on your needles.

Row 101 (113, 125, 135, 145, 161): Work all sts as they appear.

Rows 102 (114, 126, 136, 146, 162) to 111 (123, 135, 145, 153, 171): Repeat rows 100 (112, 124, 134, 144, 160) and 101 (113, 125, 135, 145, 161). You should end up on a WS row with 23 (28, 31, 33, 36, 39) sts.

Row 112 (124, 136, 146, 154, 172): Cast off loosely.

You've finished the right shoulder. Now take the sts you had on hold for the left shoulder and place them back on your needles.

With the WS facing you, attach yarn of the corresponding color to the first stitch.

Row 99 (111, 123, 133, 143, 159) of left shoulder: P 4 (6, 6, 6, 6, 6), SM, k2, p3, in C1 p3, k2, p 15 (18, 21, 23, 26, 29).

Row 100 (112, 124, 134, 144, 160): K 15 (18, 21, 23, 26, 29), SM, p2, k3, in C3 k3, p2, SM, knit according to pattern until 4 sts left, k2tog, k2. You've decreased 1 st and should now have 28 (33, 36, 38, 41, 44) on your needles.

Row 101 (113, 125, 135, 145, 161): Work all sts as they appear.

Rows 102 (114, 126, 136, 146, 162) to 111 (123, 135, 145, 153, 171): Repeat rows 100 (112, 124, 134, 144, 160) and 101 (113, 125, 135, 145, 161). You should end up on a WS row with 23 (28, 31, 33, 36, 39) sts.

Row 112 (124, 136, 146, 154, 172): Cast off loosely.

You've finished the front, well done!!

BACK PANEL

Rib edge

With C2, cast on 84 (94, 104, 112, 122, 132) sts on 5 mm (US8) circular needles with the same technique you used for the front.

Rows 1 to 9 (9, 13, 17, 21, 23): Work in 2x2 rib (k2, p2 until end of row). Your last row should be a WS row. Cut C2.

Row 10 (10, 14, 18, 22, 24): Attach C4 and k 42 (47, 52, 56, 61, 66). Without cutting C4, attach C1 and k 42 (47, 52, 56, 61, 66).

From now on, you'll do the color changes with intarsia.

Row 11 (11, 15, 19, 23, 25): P all.

Row 12 (12, 16, 20, 24, 26): K all.

Rows 13 (13, 17, 21, 25, 27) to 105 (117, 129, 139, 148, 165): Repeat rows 11 (11, 15, 19, 23, 25) and 12 (12, 16, 20, 24, 26). Try to keep the intarsia as neat and even as possible in every row. The color change should look like a straight line in the middle of the back and you don't want it crooked!

Row 106 (118, 130, 140, 148, 166): K 25 (30, 33, 35, 38, 41), cast off 34 (34, 38, 42, 46, 50), k 25 (30, 33, 35, 38, 41). Slip the first 25 (30, 33, 35, 38, 41) sts onto an additional cable or scrap of yarn. This is the right shoulder and it'll be worked later.

Continue working the left shoulder.

Row 107 (119, 131, 141, 149, 167) of left shoulder- WS row: P all.

Row 108 (120, 132, 142, 150, 168): K2, ssk, k all. You've decreased 1 stitch, and should have 24 (29, 32, 34, 37, 40) now.

Row 109 (121, 133, 143, 151, 169): P all.

Rows 110 (122, 134, 144, 152, 170) and 111 (123, 135, 145, 153, 171): Rep rows 108 (120, 132, 142, 150, 168) and 109 (121, 133, 143, 151, 169). You should end up in a WS row, and with 23 (28, 31, 33, 36, 39) sts.

Row 112 (124, 136, 146, 154, 172): Cast off loosely.

Now onto the right shoulder!

With the WS facing you, attach C4 yarn.

Row 107 (119, 131, 141, 149, 167) of right shoulder- WS row: P all.

Row 108 (120, 132, 142, 150, 168): K all until 4 sts remain, k2tog, k2. You've decreased 1 stitch, and should have 24 (29, 32, 34, 37, 40).

Row 109 (121, 133, 143, 151, 169): P all.

Rows 110 (122, 134, 144, 152, 170) and 111 (123, 135, 145, 153, 171): Rep rows 108 (120, 132, 142, 150, 168) and 109 (121, 133, 143, 151, 169). You should end up with a WS row.

Row 112 (124, 136, 146, 154, 172): Cast off loosely.

Now that you have the front and back, place both panels with the WS facing each other and with the horizontal invisible seam, sew the shoulders together.

SLEEVES

Repeat the same instructions for both sleeves.



First of all, from cast on edge at the front, count 64 (74, 84, 90, 98, 110) rows up and place a stitch marker. Do the same for the back.

Work each sleeve with its corresponding color so it matches the side of the body.

Row 0: Starting at the stitch marker you just placed on the back -for the right sleeve-, or front -for the left sleeve-, with the RS of the body facing you, pick up 75 (75, 80, 84, 84, 92) sts evenly along the edge.

Row 1 -WS row: P all.

Row 2: K all.

Rows 3 to 89 (93, 93, 95, 95, 98): Rep rows 1 and 2.

Row 90 (94, 94, 96, 96, 99) – RS row: K2tog. Rep until end of row. You'll decrease all stitches, therefore, end up with half the amount of sts you started with. Cut yarn.

Row 91 (95, 95, 97, 97, 99): Attach yarn in color of other sleeve (if you're working the sleeve with C1, attach C4, and vice versa). You'll start working the cuff in 1x1 ribbing (K1, p1) until end of row.

Rows 92 (96, 96, 98, 98, 100) to 103 (107, 107, 111, 111, 113): Continue working 1x1 ribbing.

Row 104 (108, 108, 112, 112, 114): Cast off loosely. Leave a long tail to sew in the side.

Starting at the cuff, join both edges of the sleeve together with the vertical invisible seam. Continue until underarm and once there, sew down the side of the body to the ribbing. Secure and hide the tail.

NECKBAND

With C2, starting at the left shoulder seam, pick up 102 (102, 106, 114, 118, 124) sts evenly along the neck opening.

PM to indicate the end of the row, as you'll knit in the round now.

Row 1: K all.

Rows 2 to 6: Work a 1x1 ribbing (k1, p1).

Row 7: K2tog until end of row. You'll have half the sts you casted on.

Rows 8 to 10: K all.

Row 11: *k1, m1r*. Repeat *to* until end of row. You've increased to double the sts and should have the same amount of sts you started with.

Row 12: Cast off loosely, leaving a long tail.

Fold the neckband to the inside of the sweater, by the decrease row. With a darning needle, thread the tail you left and go through the same stitch at the cast on and cast off edges. Repeat this until you've joined the neckband cast off edge to the cast on edge all around.

Optional: Block your sweater with water or steam to even out the cables.

You're done...congratulations!!!

I hope you had as much fun knitting this sweater as I had designing it!

Don't forget to tag me in your photos on Instagram @lirio.knits! I'd love to see your version

☺♥

Enjoy!

Fer - Lirio Knits

LIRIO
K N I T S