



CROCHET PATTERN

Wally

Dog Jumper

Design: Manatee_Squares | Hobbii Design



MATERIALS

Patchwork jumper:
Kind Feather, 1 skein each of colors:

05 (Yellow)
06 (Orange)
07 (Red)
11 (Pink)
12 (Lavender)
15 (Navy blue)
17 (Turquoise)
21 (Light Green)
20 (Hunter green) for the edges

Solid color:

1 (2, 4) skeins of Kind Feather color 23
(Camel)

Crochet hook 5 mm (US K/10.5)
Darning needle
Stitch marker

YARN QUALITY

 **Kind Feather**, Hobbii

100 % Acrylic
100 g / 3.5 oz. = 235 m / 257 yds

GAUGE

10 cm x 10 cm (4" x 4") = 12 dc sts x 4
rounds

SIZE

S (M, L)

MEASUREMENTS

Length (base of neck to base of tail): 30 (40, 60)
cm / 11.8" (15.7", 23.6")

Depth (centre of spine to top of front leg): 15
(20, 30) cm / 5.9" (7.9", 11.8")

Easily customisable to any size dog!

PATTERN INFORMATION

A super cute and cosy make for your best pal.
Use one colour all over for a classic look or go
all out with clashing brights for a fun
patchwork make. Directions are given for 3
sizes, but you can easily customise to fit any
breed and size.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiwally
#hobbiiadogsworld

BUY THE YARN HERE

<https://shop.hobbii.com/wally-dog-jumper>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at
support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

ch = chain

sc = single crochet

hdc = half double crochet

dc = double crochet

fdc = foundation dc

ss = slip stitch

st(s) = stitch(es)

BPdc = back post dc

FPdc = front post dc

sk = skip

* * = repeat directions between * * as many times as instructed

sp = space

RS = right side

BLO = back loop only

FO = fasten off

INFO AND TIPS

Turning ch counts as your first dc throughout your squares and triangles.

You can easily alter the size of your jumper, simply measure your squares against your dog as you go. Different breeds all vary hugely in size so make sure you do what you need so your jumper is the perfect fit!

BIG SQUARES

Ch 4, ss to join into a ring.

Round 1: ch3, 2dc in ring, *ch1, 3dc in ring* three times, ch1, ss to ch3 to join.

Round 2: ss back to ch1 sp, ch3, 2dc in same sp, *(3dc, ch1, 3dc) all in next ch1 sp* three times, 3dc in next sp, ch1, ss to ch3 to join.

Round 3: ss back to ch1 sp, ch3, 2dc in same sp, *3dc in next sp, (3dc, ch1, 3dc) all in next ch1 sp* three times, 3dc in next sp, 3dc in next ch1 sp, ch1, ss to ch3 to join.

Round 4: ss back to ch1 sp, ch3, 2dc in same sp, *3dc in each sp to next ch1 sp, (3dc, ch1, 3dc) all in next ch1 sp* three times, 3dc in each sp to next ch1 sp, 3dc in ch1 sp, ch1, ss to ch3 to join.

Repeat Round 4 until you have a total of 6 (8, 12) rounds or until your square reaches from the centre of your dog's spine to the top of their front leg making sure to work an even number of rounds, then fasten off. I suggest erring on the side of too small rather than too big if you're unsure, you'll be adding edging later and can work extra rounds there to make up the difference. Make three identical squares.

SMALL SQUARES

Make as "Big Squares" until you have a total of 3 (4, 6) rounds or half the number of rounds you worked before. Make three identical squares.

If you are making a size S or have a dog with a particularly large neck and head compared to their body, such as a French bulldog, English bulldog, pug etc, you might prefer to omit the third small square and work Chest Panel Adaptation instead.

TRIANGLES

Round 1: ch5, (3dc, ch2, 4dc) all in fifth ch from hook, turn.

Round 2: ch4, 3dc in sp between final 2 sts from previous round, (3dc, ch2, 3dc) all in ch2 sp, 4dc between first 2 sts from previous round, turn.

Round 3: ch4, 3dc between final 2 sts from previous round, 3dc in next sp, (3dc, ch2, 3dc) all in ch2 sp, 3dc in next sp, 4dc between first 2 sts from previous round, turn. **Size S fasten off.**

Round 4: ch4, 3dc between final 2 sts from the previous round, 3dc in each sp to ch2 sp, (3dc, ch2, 3dc) all in ch2 sp, 3dc in each sp to last 4 sts, 4dc between first 2 sts from previous round, turn.


Repeat Round 4 until you have the same number of rounds as your small squares and then fasten off. You should have the same number of 3dc groups on the edges of your triangles as you do your small squares. Make two identical triangles.

JOINING

Lay your panels out as shown. With RS touching, join your pieces by connecting the red marked edges with each other, and then the green marked edges. The green marks connect the front panel which sits at your dog's chest. Join in your preferred method, either by working a sc through each st on both edges to seam, or by using a needle to sew them together. Weave in these ends once done so they don't get in the way while you're working your edging.

If you chose to omit your third square do not place the small square at the top of the picture, and work Chest Panel Adaptation instead.

Patchwork color combination



CHEST PANEL ADAPTATION

With RS facing join yarn in the bottom corner ch sp at the front of your jumper. Place a marker in the sp where you would like your chest panel to end.

Row 1: ch3, 1dc in sp at base of ch, 3dc in each sp to marked sp, 2dc in marker sp, turn.

Row 2: ch2 (does not count as a st), 1dc in first st, 3dc in each sp, 1dc in final st, turn.

Row 3: ch3, 1dc in sp at base of ch, 3dc in each sp to final sp, 2dc in final sp, turn.

Repeat Rows 2 & 3 until your chest panel reaches the desired width then fasten off and seam the edge with your second front panel.



Once joined your jumper should look something like this. Sample shown with a small square at the chest on the left, and the chest panel adaptation on the right.



EDGING

With RS facing join your yarn in any st around the bottom edge of your jumper.

Round 1: ch2, BLO dc in each st and corner ch sp around your bottom edge, when you reach your triangles work 2dc to each row edge and 1dc in your starting ch sp, if you worked

the Chest Panel Adaptation work 2dc to each row edge as with your triangles, ss to starting ch to join, do not turn.

Round 2: ch2, *FPdc, BPdc* around, ss to join, do not turn.

Round 3: Repeat Round 2 then FO, or work extra rows for a deeper rib.



NECKLINE

With RS facing join yarn in any st around your neck opening.

Round 1: ch1, 1sc in each st and ch sp around your neckline, if you worked the Chest Panel Adaptation work 2dc to each row edge, ss to ch1 to join.

You will now work a ch to the length you want your roll neck to be. Play around with this number and see what works for your dog. My lurchers have very long necks so I worked 32 chs for a roll neck, If you have a pug, you'll want this much shorter! You'll also need to decide whether you want the neckline to fold over or just sit flat.

Row 2: ch 16 (21, 26), sc in second ch from hook and each ch along, ss to next 2 sts from Round 1, turn.

For a looser neckline (as shown on the bright yellow jumper) work BLO hdc instead of sc.

Row 3: sk 2 sl sts, 15 (20, 25) BLO sc, turn.

Row 4: ch1, 15 (20, 25) BLO sc, ss to next 2 sts from Round 1, turn.

Repeat Rows 3 & 4 around your entire neckline then FO and seam your neck edges together.



BELLY STRAP

You might like to add a small belly strap to stop your dog's jumper moving when they start running! Work a Fdc to the desired width, then dc in each st for as many rows as needed for it to sit snugly beneath your dog's tummy. Sew one end to the ribbing on one edge of the jumper, and sew a button to the other for securing through sts.

Alternatively, if the jumper has enough ease, you could sew a button to your ribbing on one side and use this to prevent flapping instead!

Enjoy!

Lauren 😊

