



CROCHET PATTERN

Cotton Candy Dot

Children's Cardigan

Design: Wool Cuddles | Hobbii Design



MATERIALS

Pearly Haze

4 (5, 7, 7, 8) skeins of color 96

1 (1, 1, 2, 2) skein(s) of color 67

Crochet hook 6.00 mm / US J-10 (or size needed to obtain gauge)

Yarn needle

Scissors

Tape measure

Stitch markers

YARN QUALITY

 **Pearly Haze**, Hobbii

73% Viscose, 27% Wool

50 g / 1.75 oz = 110 m / 120 yds

GAUGE

12 HDC x 10 rows = 10 cm x 10 cm / 4" x 4"

(Important: measurements given by a blocked gauge swatch. I used the steam blocking method)

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiottoncandydot

SIZE

2-4 yrs (4-6 yrs, 6-8 yrs, 8-10 yrs, 10-12 yrs)

MEASUREMENTS

To fit bust: 21"-23" (23"-25", 25"-26.75", 26.75"-28.25", 28.25"-30") / 53-58,5 cm (58.5-63.5 cm, 63.5-68 cm, 68-71.5 cm, 71.5-76 cm)

Final bust: 27" (29", 31", 32", 34") / 68.5 cm (73.5 cm, 78.5 cm, 81.5 cm, 86.5 cm)

Back panel width: 13.5" (14.5", 15.5", 16", 17") / 34 cm (37 cm, 39 cm, 40.5 cm, 43 cm)

Front/Back panel length: 13.4" (15", 17.3", 19", 20.5") / 34 cm (38 cm, 44 cm, 48 cm, 52 cm)

Sleeve length: 11" (13", 14", 15.2", 16.5") / 28 cm (33 cm, 35.5 cm, 38.5 cm, 42 cm)

PATTERN INFORMATION

Introducing Cotton Candy Dot children's cardigan, a crochet cardigan designed to bring joy to every little adventurer. The dot pattern represents the boundless imagination of little ones, turning an ordinary cardigan into a canvas of dreams.

The cardigan is worked bottom up in five panels (one back panel, two front panels and two sleeve panels). The finishing of the collar is crocheted onto the body once it's sewn.

The pattern has color-coded sizes and step-by-step photos. The sample in the picture is a size 4-6 yrs.

BUY THE YARN HERE

<https://shop.hobbii.com/cotton-candy-dot-children-s-cardigan>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at

support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

CH = chain

SC = single crochet

HDC = half double crochet

HDC2TOG = half double crochet two together

BLO = back loop only

SL ST = slip stitch

ST(S) = stitch(es)

RS = right side

WS = wrong side

DOT ST = dot stitch. Instructions:

Repeat 3 times (yarn over, insert hook in stitch, yarn over and pull up a loop). Make sure all loops on hook are even as you can (this helps the DOT ST to look neat). Yarn over and pull through all 7 loops on hook.

INFO AND TIPS

- All measurements given are blocked (I used steam blocking method)
- Pattern is written as follows: 2-4 yrs (4-6 yrs, 6-8 yrs, 8-10 yrs, 10-12 yrs).
- The cardigan is designed to be worn with 4"- 6" (10 - 15 cm) of positive ease
- At the end of each row, the stitch count is given in parenthesis.
- Chain one at the beginning of every row **doesn't count** as a stitch.
- Optional: put a stitch marker to mark the right side of work.

FRONT PANEL (MAKE TWO)

Ribbing

CH 7

ROW 1: SC in 2nd chain from hook and across. CH 1, turn. (6 sts)

ROW 2: SC BLO across. CH 1, turn. (6 sts)

ROW 3 until ROW 14 (17, 19, 19, 20): repeat ROW 2. Do not fasten off.
Turn work in order to work along the side of ribbing. CH 1.

Body

ROW 1 (RS): place 14 (17, 19, 19, 20) HDC evenly across the ribbing (**Note:** work 1 HDC in every end of ribbing row). CH 1, turn. (14, 17, 19, 19, 20 sts)



ROW 2 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 3 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 4-6 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 7 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 8-10 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 11 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 12-14 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 15 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 16-18 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 19 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 20-22 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 23 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 24-26 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 27 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (14, 17, 19, 19, 20 sts)

ROW 28-30 (WS): HDC across. CH 1, turn. (14, 17, 19, 19, 20 sts) *STOP AT ROW 30 FOR SIZE 2-4 yrs. Fasten off.*

ROW 31 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, 17, 19, 19, 20 sts)

ROW 32-34 (WS): HDC across. CH 1, turn. (N/A, 17, 19, 19, 20 sts) *STOP AT ROW 34 FOR SIZE 4-6 yrs. Fasten off.*

ROW 35 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, 19, 19, 20 sts)

ROW 36-38 (WS): HDC across. CH 1, turn. (N/A, N/A, 19, 19, 20 sts)

ROW 39 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, 19, 19, 20 sts)

ROW 40-42 (WS): HDC across. CH 1, turn. (N/A, N/A, 19, 19, 20 sts) *STOP AT ROW 40 FOR SIZE 6-8 yrs. Fasten off.*


ROW 43 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, N/A, 19, 20 sts)

ROW 44-46 (WS): HDC across. CH 1, turn. (N/A, N/A, N/A, 19, 20 sts) *STOP AT ROW 44 FOR SIZE 8-10 yrs. Fasten off.*

ROW 47 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, N/A, N/A, 20 sts)

ROW 48 (WS): HDC across. CH 1, turn. (N/A, N/A, N/A, N/A, 20 sts)

Fasten off leaving approx. 12" / 30 cm of yarn for seaming.



BACK PANEL

Ribbing

CH 7

ROW 1: SC in 2nd chain from hook and across. CH 1, turn. (6 sts)

ROW 2: SC BLO across. CH 1, turn. (6 sts)

ROW 3 until ROW [41](#) ([44](#), [47](#), [49](#), [52](#)): repeat ROW 2. Do not fasten off.

Turn work in order to work along the side of ribbing. CH 1.

Body

ROW 1 (RS): place [41](#) ([44](#), [47](#), [49](#), [52](#)) HDC evenly across the ribbing (**Note:** work 1 HDC in every end of ribbing row). CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 2 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 3 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 4-6 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 7 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 8-10 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 11 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 12-14 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 15 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 16-18 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 19 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 20-22 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 23 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 24-26 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 27 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts)

ROW 28-30 (WS): HDC across. CH 1, turn. ([41](#), [44](#), [47](#), [49](#), [52](#) sts) *STOP AT ROW 30 FOR SIZE 2-4 yrs. Fasten off.*

ROW 31 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, 44, 47, 49, 52 sts)

ROW 32-34 (WS): HDC across. CH 1, turn. (N/A, 44, 47, 49, 52 sts) *STOP AT ROW 34 FOR SIZE 4-6 yrs. Fasten off.*

ROW 35 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, 47, 49, 52 sts)

ROW 36-38 (WS): HDC across. CH 1, turn. (N/A, N/A, 47, 49, 52 sts)

ROW 39 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, 47, 49, 52 sts)

ROW 40-42 (WS): HDC across. CH 1, turn. (N/A, N/A, 47, 49, 52 sts) *STOP AT ROW 40 FOR SIZE 6-8 yrs. Fasten off.*

ROW 43 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, N/A, 49, 52 sts)

ROW 44-46 (WS): HDC across. CH 1, turn. (N/A, N/A, N/A, 49, 52 sts) *STOP AT ROW 44 FOR SIZE 8-10 yrs. Fasten off.*

ROW 47 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end. CH 1, turn. (N/A, N/A, N/A, N/A, 52 sts)

ROW 48 (WS): HDC across. CH 1, turn. (N/A, N/A, N/A, N/A, 52 sts)
Fasten off.



SLEEVE (MAKE TWO)

Ribbing

CH 7

ROW 1: SC in 2nd chain from hook and across. CH 1, turn. (6 sts)

ROW 2: SC BLO across. CH 1, turn. (6 sts)

ROW 3 until ROW 16 (17, 19, 20, 22): repeat ROW 2. Do not fasten off.

Join the two sides of ribbing with a slip stitch to create the cuff. Turn right side out, so that the seam is hidden inside the cuff. From now on we will be working in turned rows and along the side of ribbing. CH 1.

Body

ROUND 1 (RS): place 32 (34, 38, 40, 44) HDC evenly across the ribbing (**Note:** work 2 HDC in every end of ribbing row), SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 2 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 3 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 4-6 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 7 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 8-10 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 11 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 12-14 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 15 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 16-18 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 19 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 20-22 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 23 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts)

ROUND 24-26 (WS): HDC across, SL ST to first st. CH 1, turn. (32, 34, 38, 40, 44 sts) *STOP AT ROUND 24 FOR SIZE 2-4 yrs. Fasten off.*

ROUND 27 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (N/A, 34, 38, 40, 44 sts)

ROUND 28-30 (WS): HDC across, SL ST to first st. CH 1, turn. (N/A, 34, 38, 40, 44 sts) *STOP AT ROUND 29 FOR SIZE 4-6 yrs. Fasten off.*

ROUND 31 (RS): HDC 2, DOT ST, *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (N/A, N/A, 38, 40, 44 sts)

ROUND 32-34 (WS): HDC across, SL ST to first st. CH 1, turn. (N/A, N/A, 38, 40, 44 sts) *STOP AT ROUND 32 FOR SIZE 6-8 yrs AND ROUND 34 FOR SIZE 8-10 yrs. Fasten off.*


ROUND 35 (RS): *HDC 5, DOT ST in next st*, repeat from * to * until end, SL ST to first st. CH 1, turn. (N/A, N/A, N/A, N/A, 44 sts)

ROUND 36-38 (WS): HDC across, SL ST to first st. CH 1, turn. (N/A, N/A, N/A, N/A, 44 sts)
Fasten off.



IT'S SEAMING TIME!

First let's mark the opening for the sleeves on both front and back panel with a stitch marker. Starting from above the panel count 14 (15, 16, 17, 19) rows going down. Put your stitch marker here. Repeat on the other side.



Leave back panel RS facing you and put on it the front panel with WS facing up. Seam shoulders together using a whip stitch, being careful to sew evenly the parts.

Sew the sides starting from the ribbing up to the armpit where we put the stitch marker.

Insert the sleeve, with right side facing, down into the body and line up the seam on the sleeve with the stitch marker on armpit. From the seam on the sleeve, count 16 (17, 19, 20, 22) stitches around and put a second stitch marker here, being careful to also pick up the seam on the shoulder. This will ensure the parts are seamed evenly.

Seam the sleeve together with the body using a whip stitch, starting from the armpit and continue around.


Repeat on the other side as well.


COLLAR

Turn cardigan right side out.

Attach new yarn at bottom right front panel and SC around evenly, being careful to work 1 SC in each row on the front panels and 1 SC in each stitch on the back panel.

Having reached the end of the second front panel, CH 5.





ROW 1: SC in 2nd chain from hook and across, SL ST into first and second SC of front panel (4 sts). Turn your work so you're working back into the ribbing.

Note: *always skip the 2 SL STs when working back into the ribbing.*

ROW 2: SC BLO across, CH 1, turn. (4 sts)

ROW 3: SC BLO across, SL ST into next 2 SC on front panel, turn. (4 sts)

Continue Working ROW 2 and ROW 3 until no SC on front and back panel remain. Fasten off.

Weave in all loose ends.

Voilà! You've finished your cardigan!



Enjoy!

Kristina | Wool Cuddles

