



SUZY JUMPER

DG 460-01B | NATURAL LANOLIN WOOL



DG 460-01B

SUZY JUMPER

DESIGN

Iselin Hafselid

YARN

NATURAL LANOLIN WOOL 100% pure new wool,
50 grams = approx. 100 metres

Alternative yarns: MERINO 22, LERKE, ØKO COTTON

SIZES

XS (S) M (L) XL

GARMENT MEASUREMENTS

Chest size approx. 92 (100) 108 (116) 124 cm
Full length approx. 58 (60) 62 (64) 66 cm
Sleeve-length approx. 46 cm (in all sizes)

YARN AMOUNTS

11 (12) 13 (15) 16 balls

COLOURS

Raspberry 1447

SUGGESTED NEEDLE SIZE

Short and long circular needles and double pointed needles
size 3 mm and 4 mm.
Extra needle

KNITTING TENSION

22 sts with stocking st and needle size 4 mm = 10 cm
24 sts cable-knit and needle size 4 mm = 10 cm

**Check your knitting tension by working a swatch.
Count the number of sts per 10cm; if you have more sts
than suggested change to a larger needle size. If you have
less sts, change to a smaller needle size.**

FIND THE RIGHT SIZE

1. Measure a garment that fits you.
2. Compare the measurements with the pattern.
3. Choose your size from the width of the body.
4. Length of body and sleeves; you can work them longer or shorter if you wish.

ABBREVIATIONS

K = knit, P = purl, st. = stitch, r = row

© House of Yarn AS

The copying and publication of materials and patterns,
or their use for commercial purposes, is not allowed
without prior agreement with House of Yarn AS.



HOLE BORDER

Round 1: P.

Rounds 2 and 3: K.

Round 4: *1 yarn over, K2 together*. Repeat from *-*.

Rounds 5 and 6: K.

Round 7: P.



BODY

Cast on 202 (220) 238 (256) 272 sts with circular needle size 3 mm.

Work 7 rounds **of hole border** in the round. Change to needle size 4 mm and work stocking st.

Insert a marker in each side with 101 (110) 119 (128) 136 sts on both the front and back pieces. Work until the piece measures approx 39 (40) 41 (42) 43 cm. Increase 2 (2) 2 (2) 4 sts evenly spaced = 102 (111) 120 (129) 138 sts on each piece. Cast off 12 sts on each side (= 6 sts on each side of the markers) for the armholes = 90 (99) 108 (117) 126 sts on each piece. Lay the piece to one side and work the sleeves.

SLEEVES

Cast on 52 (52) 55 (58) 58 sts with double pointed needles size 3 mm.

Work 7 rounds **of hole border** in the round. Change to needle size 4 mm and work stocking st. Insert a marker at beginning of round.

Increase 2 sts under the sleeve every 2.5 (2.5) 2 (2) 2 cm until you have 84 (84) 93 (102) 102 sts. Work until the sleeve measures 46 cm (in all sizes). Cast off 12 sts under the sleeve (= 6 sts on each side of marker) = 72 (72) 81 (90) 90 sts. Lay the piece to one side and work the other sleeve.

YOKE

Place all pieces on long circular needle size 4 mm. First left sleeve, then front piece, right sleeve and back piece = 324 (342) 378 (414) 432 sts. The round starts back left shoulder. Work pattern according to diagram **A** approx. 4 (5) 6 (7) 8 cm. On the next round decrease 1 st in each purled section by purling the first 2 sts together = 288 (304) 336 (368) 384 sts. Continue with 1 cable, P4, approx. 3 cm (same in all sizes). On the next round decrease 1 st in each purled section by purling the first 2 sts together = 252 (266) 294 (322) 336 sts. Continue with 1 cable, P3, approx. 3 cm (same in all sizes). On the next round decrease 1 st in each purled section by purling the first 2 sts together = 216 (228) 252 (276) 288 sts. Continue with 1 cable, P2, approx. 3 cm (same in all sizes). On the next round decrease 1 st in each purled section by purling the first 2 sts together = 180 (190) 210 (230) 240 sts. Continue with 1 cable, P1, approx. 3 cm (same in all sizes). On the next round work as follows: *K2 together (= P1 + 1 st from cable), K3*, repeat from *-* = 144 (152) 168 (184) 192 sts.

Continue with just cables approx 3 cm (same in all sizes).


NOTE! Change to needle size 3 mm, K 1 round, **at the same time** decrease 0 (0) 8 (16) 16 sts evenly spaced = 144 (152) 160 (168) 176 sts.

Work 7 rounds **of hole border**. Cast off with P, making sure the cast-off edge is not tight.

ASSEMBLY

Sew together under the sleeves.

DIAGRAM



- K on right side, P on wrong side
- P on right side, K on wrong side
- Place 1 st on cable needle in front of piece
K 1, work sts from cable needle
- Place 1 st on cable needle behind the piece
K 1, work sts from cable needle

Do you need inspiration for your next knitting project? Check out the website houseofyarn.no