



CROCHET PATTERN

Candy

Sweater

Design: Crafty Maz Designs | Hobbii Design

MATERIALS

Winter Glow Solid

2 (3, 3) (3, 4, 4) skeins colour 31 (Colour A)

2 (2, 2) (2, 2, 2) skeins colour 29 (Colour B)

1 (1, 2) (2, 2, 2) skein(s) colour 30 (Colour C)

1 (1, 2) (2, 2, 2) skein(s) colour 27 (Colour D)

Crochet hook 3.5mm, 4mm & 4.5mm

Darning needle

Stitch markers

Scissors

Tape measure

YARN QUALITY

 Winter Glow Solid, Hobbii

51% Wool, 49 % Acrylic

100 g / 3.5 oz. = 350 m / 382 yds.

GAUGE

10 cm x 10 cm (4" x 4") = 17 hdc x 12 rows
using 4mm hook

HASHTAGS FOR SOCIAL MEDIA

#hobbiicandy #hobbiidesign

SIZE

XS (S, M) (L, XL, 2XL)

MEASUREMENTS

Finished chest measurement is provided below.
Choose size based on chest measurement and
desired ease.

Designed to be worn with positive ease of
2-7cm/1-3in.

Chest: 76 (86, 96.5) (106.5, 117, 127) cm or
30 (34, 38) (42, 46, 50) inches

PATTERN INFORMATION

Here is the Candy Sweater for sizes XS to 2XL.
You can also find the children's version in
sizes 12-18 months to 12yrs.

This sweater is worked from the top down
making different coloured panels which are
then seamed together.

The seaming process can be a bit tricky, so
the pattern is labelled as intermediate. I
suggest reading the pattern prior to starting
the project and to have a look at the photos
to get an idea of how it is made.

BUY THE YARN HERE

<https://shop.hobbii.com/candy-sweater>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at
support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

ch = chain
 st = stitch
 PM = place marker
 SM = stitch marker
 slst = slip stitch
 blo = back loop only
 sc = single crochet
 hdc = half double crochet
 inc = increase - 2 stitches in 1 stitch
 2tog = decrease - 2 stitches crocheted together
 {...} = end stitch count
 ... = repeat between **

INFO AND TIPS

Follow the instructions according to your size: XS (S, M) (L, XL, 2XL)

NECK RIBBING

With Colour A and 3.5mm hook

Row 1: ch 12, starting in the 2nd ch from the hook, sc in each ch across, {11 sts}

Row 2 - 108 (108, 112) (112, 112, 114): ch 1, turn, sc-blo in each st, {11 sts}

To join the end of the ribbed neckline to the beginning row, slst together the front loop only of the last worked row and starting chs.

Turn work inside out so the join is on the inside and work on the side edge of the ribbing

YOKE

Set-up round (RS): Using 4mm hook, ch 1, sc 1 in each row of the ribbing, slst to join, fasten off, PM in first and last st. {108(108, 112) (112, 112, 114) sts}.

Marking the Front, Back and sides

With the RS Facing:

Back - Including the first st, counting to the left of the first st made in the set-up round, PM (BLUE) in the 16th(16th, 17th) (17th, 17th, 17th) st,
Including the first st, counting to the right of the last st made in the set-up, PM (BLUE) in the 16th(16th, 17th) (17th, 17th, 17th) st,

Right Side - Now working anti clockwise - PM (PURPLE) in the next st to the left of the leftmost BLUE SM,
Including the first PURPLE SM, counting to the left, PM (PURPLE) in the 22nd(22nd, 22nd) (22nd, 22nd, 23rd) st,

Front Side - PM (YELLOW) in the next st to the left of the leftmost PURPLE SM,
Including the first YELLOW SM, PM (YELLOW) in the 32nd(32nd, 34th) (34th, 34th, 34th) st,

Left Side - PM (PINK) in the next st to the left of the leftmost YELLOW SM,
Including the first PINK SM, PM (PINK) in the 22nd(22nd, 22nd) (22nd, 22nd, 23rd) st.

You should have 32(32, 34) (34, 34, 34) sts including and between the blue and yellow st markers

You should have 22(22, 22) (22, 22, 23) sts including and between the purple and pink st markers



BACK PANEL

Using Colour B and 4mm hook

Row 1 [RS]: Attach yarn in the rightmost marked BLUE st, ch 1, hdc inc back in same st, hdc in each st to last marked st (including the 2 marked middle sts - remove SMs), hdc inc in last marked st, ch 1, turn, {34(34, 36) (36, 36, 36) sts}

Row 2 : Hdc inc in first st, hdc in each st to last st, hdc inc in last st, ch 1, turn, {36(36, 38) (38, 38, 38) sts}

Row 3 to row 14(18, 20) (24, 27, 28): Repeat row 2, {60(68, 74) (82, 88, 94) sts}

Row 15(19, 21) (25, 28, 29) to row 20(22, 24) (26, 28, 30): Hdc in each st across, ch 1, turn, {60(68, 74) (82, 88, 94) sts}

Fasten off. PM in the first and last st of the last row and leave in situ until later in the pattern.



FRONT PANEL

Using Colour A and 4mm hook

Row 1 [RS]: Attach yarn in the rightmost marked YELLOW st, ch 1, hdc inc back in same st, hdc in each st to last marked st, hdc inc in last marked st, ch 1, turn, {34(34, 36) (36, 36, 36) sts}

Now repeat all instructions from 'Back Panel' starting at row 2 and ending after row 20(22, 24) (26, 28, 30). Fasten off. PM in the first and last st of the last row and leave in situ until later in the pattern.



RIGHT SIDE PANEL

Using Colour C and 4mm hook

Row 1 [RS]: Attach yarn in the rightmost marked PURPLE st, ch 1, hdc in each st across including last PURPLE marked st, ch 1, turn, {22(22, 22) (22, 22, 23) sts}

Row 2 : Hdc inc in first st, hdc in each st to last st, hdc inc in last st, ch 1, turn, {24(24, 24) (24, 24, 25) sts}

Row 3 to row 3(5, 5) (6, 7, 7): Repeat row 2, {26(30, 30) (32, 34, 35) sts}

Row 4(6, 6) (7, 8, 8): hdc in each st across, ch 1, turn, {26(30, 30) (32, 34, 35) sts}

Row 5(7, 7) (8, 9, 9): Hdc inc in first st, hdc in each st to last st, hdc inc in last st, ch 1, turn, {28(32, 32) (34, 36, 37) sts}

Row 6(8, 8) (9, 10, 10) to row 17(21, 23) (24, 27, 29): Repeat last 2 rows, {40(46, 48) (50, 54, 57) sts}

Row 18(22, 24) (25, 28, 30) to row 20(22, 24) (26, 28, 30): hdc in each st across, ch 1, turn, {40(46, 48) (50, 54, 57) sts}

Fasten off. PM in the first and last st of the last row and leave in situ until later in the pattern.



LEFT SIDE PANEL

Using Colour D and 4mm hook,

Row 1 [RS]: Attach yarn in the rightmost marked PINK st, ch 1, hdc in each st across including last PINK marked st, ch 1, turn, {22(22, 22) (22, 22, 23) sts}

Now repeat all instructions from 'Right Side Panel' starting at row 2 and ending after row 20(22, 24) (26, 28, 30). Fasten off. PM in the first and last st of the last row and leave in situ until later in the pattern.



SEAMING THE FRONT, BACK AND SIDE PANELS

Using 4.5mm hook you will now create a slst edging down each side of the panels using the same colour as the panel.

NOTE: To space the slst's evenly, you will use the horizontal lines created by the hdc sts as a guide, you will place 2 slst's before the first horizontal line, then 3 slst's between each horizontal line until the end. The arrows show each horizontal line.



Complete for all sides on all 4 panels.

Step 1: Keeping the yarn at the back of the work at all times, insert your hook into the first/last st from the set-up round of the yoke and pull through a slip knot (*image 1*), *insert your hook into a space as close to the edge (*image 2*), yarn over and pull through the work and the loop on the hook (*image 3*)* repeat between ** until the end (*image 4*). Fasten off. You should have a total of 29(32, 35) (38, 41, 44) slst's.




Seaming the front/back panel with the sides

Repeat for all sides

The instructions below are for seaming the front panel with the left side panel. The same instructions apply for all 4 sides. The only difference being is that you need to be using Colour A for the front seaming and Colour B for the back. You will be using only 1 loop of the slst which is the one closest to the edge of the panel.

Using Colour A, 4.5mm hook and with the right sides facing,

Step 2: Keeping the yarn at the back of the work at all times, insert your hook into the first/last st of the front/back panel of the set-up round of the yoke and pull through a slip knot (*image 1*), *insert your hook from front to back through the loop of the slst that is closest to the edge of the front/back panel (*image 2*), making sure your working yarn is at the back of the work, insert your hook from front to back through the corresponding loop of the slst that is closest to the edge of the side panel (*image 3*), yarn over, slst (*image 4*)* repeat between ** all the way to the end, you should be connecting 29(32, 35) (38, 41, 44) slst's. Fasten off.



BODY

Creating arm holes

Using Colour D and 4mm hook

With the WS facing, attach yarn in the last st made of the left side panel (*image 1*), ch 6(6, 8) (9, 11, 13) *(PM in first and last ch), slst into the first st of the left side panel (*image 2*). Fasten off.




Repeat the same for the right side but using Colour C.

BACK PANEL

NOTE: Do not remove any SM's
Using Colour B and 4mm hook,

Row 1: With the RS facing, attach yarn in the 4th(4th, 5th) (6th, 7th, 8th) back bump of the ch of the left under arm, hdc back in the same st (*image 1*), hdc in the back bumps of the next 2(2, 3) (3, 4, 5) chs, (*image 2*), hdc2tog over the marked st of the sleeve and anywhere in the seam, hdc2tog over the same space worked into at the seam and the first marked st of the back panel (*image 3*), hdc in each st along the back panel until the marked st (*image 4*), hdc2tog over the marked st of the back panel and anywhere in the seam, hdc2tog over the same space worked into at the seam and the marked st of the sleeve, hdc in the back

bumps of the next 3(3, 4) (4, 5, 6) chs, ch 1, turn, {68(72, 84) (92, 100, 108) sts}



Row 2 to row 42(42, 42) (40, 40, 40): hdc in each st across, ch 1, turn, {68(72, 84) (92, 100, 108) sts}

Fasten off. PM in first and last st.

FRONT PANEL

This is completed in the same way as the back panel.

NOTE: Do not remove any SM's
Using Colour A and 4mm hook,

Row 1: With the RS facing, attach yarn in the back bump of the next available ch in the middle of the Right under arm, hdc back in the same st, hdc in the back bumps of the next 2(2, 3) (4, 5, 6) chs, hdc2tog over the marked st of the sleeve and anywhere in the seam, hdc2tog over the same space worked into at the seam and the first marked st of the front panel, hdc in each st along the front panel until the marked st, hdc2tog over the marked st of the front panel and anywhere in the seam, hdc2tog over the same space worked into at the seam and the marked st of the sleeve, hdc in the back bumps of the next 3(3, 4) (5, 6, 7) chs, ch 1, turn, {68(76, 84) (94, 102, 110) sts}

Row 2 to row 42(42, 42) (40, 40, 40): hdc in each st across, ch 1, turn, {68(76, 84) (94, 102, 110) sts}

Fasten off. PM in first and last st.

Seaming the front and back

You will now repeat the same seaming method as the yoke seaming.

Using 4.5 mm hook, create a slst edging down each side of the front and back panels using the same colour as the panel.

NOTE: To space the slst's evenly, you will use the horizontal lines created by the hdc sts as a guide, you will place 2 slst's before the first horizontal line, then 3 slst's between each horizontal line until the end.

Refer to 'Step 1' on page 7. Start the slst edging from the armpit chs.

You should have a total of 62(62, 62) (59, 59, 59) slst's.

You will now complete the seaming of both sides using only Colour A for both sides. Complete this in the same method as done for the yoke panels. Start the seaming from the armpit chs. Refer to 'Step 2' on page 7.

You should be connecting 62(62, 62) (59, 59, 59) slst's. Fasten off.



Final round of the body

Using Colour A, 4mm hook and with the right side facing, attach yarn in the centre of the back side (*image 1*), sc back in the same st, sc in each st to the end of the back side including the marked st, sc2tog over the last marked st and the marked st of the front side, sc back in the marked st of the front side, sc in each st across the front side including the last marked st, sc2tog over the last marked st and the first marked st of the back side, sc back in the marked st, sc in each st to the end, slst to first sc to join, {136(152, 168) (186, 202, 218) sts}

Do not fasten off, proceed onto ribbing.



SLEEVES

Repeat for both sleeves using Colour C for the right sleeve and D for the left sleeve

Round 1 [RS]: Attach yarn in the 4th(4th, 5th) (6th, 7th, 8th) ch from the underarm chs (*image 1*), hdc 1 back in the same st, hdc in the next 2(2, 3) (3, 4, 5) chs, hdc in each st of the sleeve, hdc in the next 3(3, 4) (5, 6, 7) chs, slst to the first hdc to join, ch 1, turn, you can remove all 4 SMs, {46(52, 56) (59, 65, 70) sts}



Row 2 to row 40(42, 42) (42, 42, 44): hdc 1 in each st around, slst to the first hdc to join, ch1, turn, {46(52, 57) (59, 64, 70) sts}

Row 41(43, 43) (43, 43, 45): Follow instructions according to your size {41(45, 48) (54, 58, 62 sts)}

XS: (hdc 7, hdc2tog) 2 times, hdc 8, hdc 2tog, (hdc 7, hdc2tog) 2 times

S: (hdc 5, hdc2tog) 2 times, (hdc 6, hdc2tog) 3 times, (hdc 5, hdc2tog) 2 times

M: (hdc 5, hdc2tog) repeat 8 times

L: (hdc 10, hdc2tog) 2 times, hdc 9, hdc2tog, (hdc 10, hdc2tog) 2 times

XL: hdc 8, hdc2tog, (hdc 7, hdc2tog) 5 times, hdc 8, hdc2tog

2XL: hdc 6, hdc2tog, (hdc 7, hdc2tog) 6 times, hdc 6, hdc2tog

Row 42(44, 44) (44, 44, 46): ch 1, turn, hdc 1 in each st around, slst to the first hdc to join, ch 1, turn, {41(45, 48) (54, 58, 62 sts)}

Row 43(45, 45) (45, 45, 47): Follow instructions according to your size {36(38, 40) (48, 50, 53 sts)}

XS: (hdc 6, hdc2tog) 2 times, hdc 7, hdc2tog, (hdc 6, hdc2tog) 2 times

S: (hdc 4, hdc2tog) 2 times, (hdc 5, hdc2tog) 3 times, (hdc 4, hdc2tog) 2 times

M: (hdc 4, hdc2tog) repeat 8 times

L: (hdc 7, hdc2tog) repeat 6 times

XL: (hdc 5, hdc2tog) 3 times, (hdc 6, hdc2tog) 2 times, (hdc 5, hdc2tog) 3 times

2XL: (hdc 5, hdc2tog) 4 times, hdc 4, hdc2tog, (hdc 5, hdc2tog) 4 times

Row 44(46, 46) (46, 46, 48): ch 1, turn, hdc 1 in each st around, slst to the first hdc to join, ch 1, turn, {36(38, 40) (48, 50, 53 sts)}

XS, S & M do not fasten off, proceed onto ribbing

Row (47, 47, 49): Follow instructions according to your size {(42, 42, 44 sts)}

L: (hdc 6, hdc2tog) repeat 6 times.

XL: (hdc 4, hdc2tog) 3 times, (hdc 5, hdc2tog) 2 times, (hdc 4, hdc2tog) 3 times

2XL: (hdc 4, hdc2tog) 4 times, hdc 3, hdc2tog, (hdc 4, hdc2tog) 4 times

Row (48, 48, 50): ch 1, turn, hdc 1 in each st around, slst to the first hdc to join,, {(42, 42, 44 sts)}

Do not fasten off, proceed onto ribbing

RIBBING

Note: Make sure you slst into the next st and not the same one as before. Your slst's should be made with the right side facing

With 3.5mm hook and RS facing, ch 12,

Row 1: starting in the 2nd ch from the hook, sc in each ch across, slst in the next 2 sts into the base, {11 sc and 2 slst's}

Row 2: turn, skip the 2 slst's, sc-blo across, {11 sc}

Row 3: ch 1, turn, sc-blo in next 11 sts, slst in the next 2 sts into the base, {11 sc and 2 slst's}

Repeat rows 2 & 3 until you have worked your last two slst into the base and worked row 2

You will now join the ribbing edges

Working now WS facing, loosely slst 11 going through the front loop only on the row just worked and the remaining loops from your starting ch. Fasten off. Weave in your ends.

Enjoy!



Mary Etheridge – Crafty Maz Designs