



KNITTING PATTERN

Harvest

Slipover

Design: Knitsbykeyknits | Hobbii Design



MATERIALS

5 (5, 5, 5) [6, 6, 6] (7, 8, 8, 8, 9) skeins of Divina, Color 09

Approx: 610 (643, 679, 745) [800, 836, 892] [977, 1089, 1128, 1187, 1230] meters / 558 (588, 621, 681) [731, 764, 815] (893, 995, 1031, 1085, 1124) yards.

Circular needles, 4.5 mm / US 7 and 5.5 mm / US 9.

80 cm / 32" length for hem and body
40 cm / 15.7" length for neck collar and sleeve cuffs

Optionally Dpns or Magic Loop can be used.

2 Cable needles
Tapestry needle
Stitch markers.

YARN QUALITY

 **Divina**, Hobbii

65% Alpaca, 28% Polyamide, 7% Wool
50 g (1.75 oz) = 150 m (164 yds)

GAUGE

17 sts x 28 rows = 10 x 10 cm / 4" x 4" in
stockinette using needle size 5.5mm / US 9

SIZE

XXS (XS, S, M) [L, XL, 2XL] (3XL, 4XL, 5XL, 6XL, 7XL)

MEASUREMENTS

To fit: 81-86 (86-91, 91-97, 97-102) [102-107, 107-112, 112-123] (123-127, 127-132, 132-137, 142-147, 147-152) cm / 32-34 (34-36, 36-38, 38-40) [40-42, 42-44, 46-48] (48-50, 50-52, 52-54, 56-58, 58-60)"

Suggested: 5-12.7cm / 2-5" of positive ease for a relaxed fit. For this desired outcome, choose a finished body circumference of 5-12.7cm / 2-5" greater than actual chest size.

PATTERN INFORMATION

Knit bottom up in the round to the armhole separation. Front and back are joined at the shoulder using the 3-needle bind off method. The arms are knit in the round from top to the cuff.

The techniques used in the pattern include basic stockinette on the back, ribbing on collar and cuffs, moss stitch on the sleeves and front. And, cables and lace knitting on the front panel with a wheat inspired motif.

The pattern contains photos, charts and written instructions for guidance.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #keyknits #hobbiiharvest

BUY THE YARN HERE


<https://shop.hobbii.com/harvest-slipover>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com. Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

Bo = bind off

Bor = beginning of round

CN = cable needle

Co = cast on

K = knit

Kfbf = knit front, back, and front again in the same stitch

Ktbl = knit through back loop

Kwise = knitwise

K2tog = knit 2 together

LN = left needle

M = marker

M1, make 1 stitch = With the LN, pick up the bar between the Sts from front to back. Using the RN, K this bar through the back loop.

Patt = pattern

P = purl

Pm = place marker

Ptbl = purl through the back loop

Pwise = purlwise

P2tog = purl 2 Sts together

Rem = remain

Rep = repeat

RN = right needle

Rnd(s) = round(s)

RS = right side

Sl = slip

Slm = slip marker

Ssk = slip, slip, knit: Sl 2 Sts kwise one at a time, then slip them back onto the LN, then knit the slipped Sts together through the back loop.

St(s) = stitch(es)

Yo = yarn over, wrap the working yarn around the needle

WS = wrong side

1/1LC = Sl 1 St to CN and hold in front, K1, K1 from CN

1/1RC = Sl 1 St to CN and hold in back, K1, K1 from CN

1/2/1LPC = Sl1 St to CN and hold in front slip next 2 Sts to second CN and hold in back, Ktbl, P2 from back CN, Ktbl from front CN

2/3LC = 2/3 left cross: Sl 2 Sts to CN and hold in front, K3, K2 from CN

2/3RC = 2/3 right cross: Sl 3 Sts to CN and hold in back, K2, K3 from CN

3/2LC-K3tog-tbl = Sl3 Sts to a CN and hold in front K2, K3tog through the back loop

3/2RC-K3tog = Sl2 Sts to a CN and hold in back, K3tog, K2 from the CN.

INFO AND TIPS

The Harvest Slipover is worked in the round from the hem up to the armholes. After armhole separation, front and back are worked separately, back and forth and joined at the shoulders. The collar is then added by picking up stitches and incorporating live stitches around the neck hole. Finally, sleeve cuffs are worked by picking up stitches around the armhole opening. Techniques worked throughout include moss stitch, ribbing, cables, and a wheat inspired motif.

Additional measurements

Finished body circumference: 89 (94, 99, 104) [112, 117, 124] (130, 137, 142, 150, 155)cm / 35 (37, 39, 41) [44, 46, 49] (51, 54, 56, 59, 61)"

Front body length from collar to hem: 53 (53, 53, 56) [56, 56, 56] (59, 62, 62, 62, 62)cm / 21 (21, 21, 22) [22, 22, 22] (23.25, 24.5, 24.5, 24.5, 24.5)"

Body length from underarm to bottom hem: 28 (28, 28, 31) [31, 31, 31] (34, 34, 34, 34, 37)cm / 11 (11, 11, 12) [12, 12, 12] (13.25, 13.25, 13.25, 13.25, 14.5)"

Armhole circumference: 46 (46, 46, 51) [51, 51, 51] (51, 57, 57, 57, 57) cm / 18 (18, 18, 20) [20, 20, 20] (20, 22.5, 22.5, 22.5, 22.5)"

Collar circumference: 34 (34, 39, 42) [42, 42, 43] (43, 46, 47, 48, 51) cm / 14.5 (14.5, 15.5, 16.75) [16.75, 16.75, 17] (17, 18, 18.5, 19, 20)"

BODY

Bottom Hem: Using smaller sized circular needle, in 80 cm / 32" length, and long tail method, Co 158 (166, 172, 180) [192, 198, 208] (216, 228, 240, 248, 254) Sts, Pm for Bor, join for working in the round, being careful not to twist.

Work 1 x 1 rib as follows:

All Rnds: *(K1, P1), Rep from * to end.

Work until the bottom hem measures 7.5 cm / 3".

BODY CONTINUED

Switch to larger gauge needle, 80cm / 32" length and work the following increase Rnd according to size.

Size XXS: K4, (M1, K9) 7 times, (M1, K8) 3 times, (M1, K9) 7 times, M1, K4.

Size XS: K5, (M1, K9) 7 times, (M1, K10) 3 times, (M1, K9) 7 times, M1, K5.

Size S: K4, (M1, K9) 6 times, (M1, K8) 7 times, (M1, K9) 6 times, M1, K4.

Size M: K4, (M1, K9) 19 times, M1, K5.

Size L: K5, (M1, K9) 4 times, (M1, K10) 11 times, (M1, K9) 4 times, M1, K5.

Size XL: K4, (M1, K9) 21 times, M1, K5.

Size 2XL: K4, (M1, K9) 8 times, (M1, K8) 7 times, (M1, K9) 8 times, M1, K4.

Size 3XL: K4, (M1, K9) 23 times, M1, K5.

Size 4XL: K5, (M1, K9) 6 times, (M1, K10) 11 times, (M1, K9) 6 times, M1, K5.

BODY CONTINUED

Size 5XL: K5, (M1, K10) 23 times, M1, K5.

Size 6XL: K5, (M1, K11) 4 times, (M1, K10) 15 times, (M1, K11) 4 times, M1, K5.

Size 7XL: K5, (M1, K9) 3 times, (M1, K10) 19 times, (M1, K9) 3 times, M1, K5.

176 (184, 192, 200) [212, 220, 232] (240, 252, 260, 272, 280) Sts total.

Body Set Up Rnd for working lace panel written/chart instructions : P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10, P2, K7, P2, K4, P1, K2, P1, Pm for end of Front Lace Panel, (P1, K1) x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37) Pm for start of Back Lace Panel, P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10, P2, K7, P2, K4, P1, K2, P1, Pm for end of Back Lace Panel, (P1, K1) x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37) to end.

BODY, WRITTEN INSTRUCTIONS (skip ahead for Chart)

Note: Lace panel consists of 74 Sts on Rnds 1, 2, 3, 5, 6, and 7 and consists of 66 Sts on Rnds 4 and 8.

Rnd 1: [P1, 1/1RC, P1, K8, Kfbf, Sl1, Kfbf, K4, (1/2/1LPC, P2)x 4, 1/2/1LPC, K4, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, *(K1, P1), Rep from * to M, Slm] x 2.

Rnd 2: [P1, K2, P1, K4, P2, K2, (Sl1)x 3, K1, (Sl1)x 3, K2, (P2, Ktbl)x 10, P2, K2, (Sl1)x 3, K1, (Sl1)x 3, K2, P2, K4, P1, K2, P1, Slm, *(K1, P1), Rep from * to M, Slm] x 2.

Rnd 3: [P1, K2, P1, K6, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K6, P1, K2, P1 Slm, *(P1, K1), Rep from * to M, Slm] x 2.

Rnd 4: [P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10 P2, K7, P2, K4, P1, K2, P1, Slm, *(P1, K1), Rep from * to M, Slm] x 2.

Rnd 5: [P1, 1/1RC, P1, K8, Kfbf, Sl1, Kfbf, K4, Ktbl, (P2, 1/2/1LPC)x 4, P2, Ktbl, K4, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, *(K1, P1), Rep from * to M, Slm] x 2.

Rnd 6: [P1, K2, P1, K4, P2, K2, (Sl1)x 3, K1, (Sl1)x 3, K2, (P2, Ktbl)x 10, P2, K2, (Sl1)x 3, K1, (Sl1)x 3, K2, P2, K4, P1, K2, P1, Slm, *(K1, P1), Rep from * to M, Slm] x 2.

Rnd 7: [P1, K2, P1, 1/1LC, 1/1RC, K2, 3/2RC-K3tog, Sl1, 3/2 LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K2, 1/1LC, 1/1RC, P1, K2, P1, Slm, *(P1, K1), Rep from * to M, Slm] x 2.

Rnd 8: [P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10, P2, K7, P2, K4, P1, K2, P1, Slm, *(P1, K1), Rep from * to M, Slm] x 2.

Rep Rnds 1 – 8 another 5 (5, 5, 6) [6, 6, 6] (7, 7, 7, 7, 8) times.

Then Rep Rnds 1 – 7 once. Then, work armhole separation.

BODY CHART INSTRUCTIONS

Notes for working the chart: The chart is worked from the right to left, starting at column 1 and consists of 8 Rnds. Bor marks the start of the chart.

Rep Rnds 1 – 8, 6 (6, 6, 7) [7, 7, 7] (8, 8, 8, 8, 9) times.

Then Rep Rnds 1 – 7 once. When all chart Repeats are complete work armhole separation.

Work moss St before and after the chart as follows.


Rnds 1, 2, 5, 6: Work corresponding Row, (K1, P1)x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37), then work corresponding Row, Slm, (K1, P1)x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37).












Rnds 3, 4, 7, 8: Work corresponding Row, (P1, K1)x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37), then work corresponding Row, Slm, (P1, K1)x 11 (13, 15, 17) [20, 22, 25] (27, 30, 32, 35, 37).

Refer to the abbreviations section for more detailed techniques worked in the chart key. Refer to chart if preferred.

LACE PANEL FRONT AND BACK CHART


Knit direction
 From right to left
 Begin with row 1



	= KNIT		= KNIT INTO FRONT, BACK, FRONT OF THE SAME ST
	= PURL		= 1/1LC: SL 1 TO CN,HOLD IN FRONT, K1, K1 FROM CN
	= KNIT THROUGH THE BACK LOOP		= 1/1RC: SL 1 TO CN, HOLD IN BACK, K1, K1 FROM CN
	= SLIP 1 STITCH		= 3/2 RC-K3TOG: SLIP 2 STS TO CN AND HOLD IN BACK, K3TOG, K2 FROM CN
	= NO STITCH		= 3/2 LC-K3TOG-TBL: SL 3 STS TO CN,HOLD IN FRONT, K2, K3TOG THROUGH THE BACK LOOP FROM CN
	= 1/2/1LPC: SL 1 ST TO CN, HOLD IN FRONT, SL NEXT 2 STS TO SECOND CN AND HOLD IN BACK, KTBL, P2 FROM BACK CN, KTBL FROM FRONT CN.		

When piece measures approx. 28 (28, 28, 31) [31, 31, 31] (34, 34, 34, 34, 37) cm / 11 (11, 11, 12 [12, 12, 12] (13.25, 13.25, 13.25, 13.25, 14.5)". Then work armhole separation.

ARMHOLE SEPARATION

Starting with 176 (184, 192, 200) [212, 220, 232] (240, 252, 260, 272, 280) Sts.

Separation Rnd: P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10, P2, K7, P2, K4, P1, K2, P1, Slm, work established Moss St over the next 13 (15, 17, 19) [23, 25, 27] (29, 33, 35, 37, 39) Sts, Bo 6 Sts for right underarm, work established Moss St over the Rem 3 (5, 7, 9) [11, 13, 17] (19, 21, 23, 27, 29) Sts to M, Slm, P1, K2, P1, K4, P2, K7, (P2, Ktbl)x 10, P2, K7, P2, K4, P1, K2, P1, Slm, work established moss St Patt over 3 (5, 7, 9) [11, 13, 17] (19, 21, 23, 27, 29) Sts, Bo 6 Sts for left underarm. This marks the end of the back. Back and front are worked separately from this point, starting with the front.

Back: 72 (76, 80, 84) [88, 92, 100] (104, 108, 112, 120, 124) Sts total.

Front: 92 (96, 100, 104) [112, 116, 120] (124, 132, 136, 140, 144) Sts total.

FRONT WRITTEN INSTRUCTIONS, (OPTIONALLY REFER TO CHART)

Incorporate armhole shaping while working the following rows, starting with 92 (96, 100, 104) [112, 116, 120] (124, 132, 136, 140, 144) Sts. Bos are done on both RS and WS Rows.

- Bo 2 Sts at the beginning of the next 4 (4, 4, 4) [6, 8, 8] (8, 10, 10, 12, 12) Rows.

- Then, Bo 1 St at the beginning of the next 2 (2, 4, 6) [6, 6, 6] (8, 8, 10, 10, 12) Rows.

When Bos are complete 82 (86, 88, 90) [94, 94, 98] (100, 104, 106, 106, 108) Sts Rem.

When Armhole shaping Bos are complete work to the end of the 8 Patt rows without Bos.

Then Rep Rows 1 - 8 another 6 times.

Row 1 [RS]: Work established Patt to M, Slm, P1, 1/1RC, P1, K8, Kfbf, Sl1, Kfbf, K4, (1/2/1LPC, P2)x 4, 1/2/1LPC, K4, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, work established Patt to end. Turn.

Row 2 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (Sl1)x 3, P1, (Sl1)x 3, P2, K2, (Ptbl, K2)x 10, P2, (Sl1) x 3, P1, (Sl1) x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Row 3 [RS]: Work established Patt to M, Slm, P1, K2, P1, K6, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K6, P1, K2, P1, Slm, work established Patt to end. Turn.

Row 4 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P7, (K2, Ptbl)x 10, K2, P7, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Row 5 [RS]: Work established Patt to M, Slm, P1, 1/1RC, P1, K8, Kfbf, Sl1, Kfbf, K4, Ktbl, (P2, 1/2/1LPC)x 4, P2, Ktbl, K4, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, work established Patt to end. Turn.

FRONT WRITTEN INSTRUCTIONS CONTINUED, (OPTIONALLY REFER TO CHART)

Row 6 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (Sl1)x 3, P1, (Sl1)x 3, P2, (K2, Ptbl)x 10, K2, P2, (Sl1)x 3, P1, (Sl1)x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Row 7 [RS]: Work established Patt to M, Slm, P1, K2, P1, 1/1LC, 1/1RC, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K2, 1/1LC, 1/1RC, P1, K2, P1, Slm, work established Patt to end. Turn.

Row 8 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P7, (K2, Ptbl)x 10, K2, P7, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Armhole opening measures approx. 20 (20, 20, 23) [23, 23, 23] [23, 26, 26, 26, 26] cm / 8 (8, 8, 9) [9, 9, 9] (9, 10.25, 10.25, 10.25, 10.25)". Then work neck separation.

NECK SEPARATION

Starting with 82 (86, 88, 90) [94, 94, 98] (100, 104, 106, 106, 108) Sts.

Turn to RS: Decrease 3 (3, 3, 4) [4, 4, 6] (7, 7, 7, 7, 7) Sts evenly over Moss Patt, Slm, P1, 1/1RC, P1, K8, Kfbf, Sl1, Kfbf, K4, Ktbl, P2, Ktbl, K22 Sts across centre, place just knitted 22 Sts on hold for neck. Ktbl, P2, Ktbl, K4, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, decrease 3 (3, 3, 4) [4, 4, 5] (7, 7, 7, 7, 7) Sts. evenly over Moss St Patt to end. 27 (29, 30, 30) [32, 32, 32] (32, 34, 35, 35, 36) plus the extra 4 Sts from the Kfbfs Rem on each shoulder. Leave the left shoulder Sts on hold on scrap yarn/St holder to be worked later.

Work shoulders and neck edge shaping separately from this point starting with the right shoulder.

RIGHT SHOULDER

Starting with 27 (29, 30, 30) [32, 32, 32] (32, 34, 35, 35, 36) Sts.

Row 1 (WS): Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (Sl1) x 3, P1, (Sl1) x 3, P2, K2, Ptbl, K2, P1. Turn.

Row 2 (RS): Bo 2 Sts, Ktbl, K2, 3/2RC-K3tog, Sl1, 3/2LC-K3tog-tbl, K6, P1, K2, P1, Slm, work established Patt to end. Turn. 25 (27, 28, 28) [30, 30, 30] (30, 32, 33, 33, 34) Sts Rem.

Row 3 (WS): Work established Patt to M, Slm, K1, P2, K1, P4, K2, P7, K2, P2. Turn.

Row 4 (RS): Bo 1 St, K3, Kfbf, Sl1, Kfbf, K8, P1, 1/1LC, P1, Slm, work established Patt to end. Turn. 24 (26, 27, 27) [29, 29, 29] (29, 31, 32, 32, 33) Sts plus 4 Sts from the Kfbs Rem.

RIGHT SHOULDER CONTINUED

Row 5 (WS): Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (Sl1) x 3, P1, (Sl1) x 3, P4. Turn.

Row 6 (RS): Bo 1 St, 3/1RC-K3tog, Sl1, 3/2LC-K3tog-tbl), K2, 1/1LC, 1/1RC, P1, K2, P1, Slm, work established Patt to end. Turn. 23 (25, 26, 26) [28, 28, 28] (28, 30, 31, 31, 31) Sts Rem.

Row 7 (WS): Work established Patt to M, Slm, K1, P2, K1, P4, K2, P8. Turn.

Knit one more RS Row while decreasing 4 (6, 7, 7) [7, 7, 6] (5, 7, 7, 7, 8) Sts evenly and removing Ms. 19 (19, 19, 19) [21, 21, 22] (23, 23, 24, 24, 24) Sts Rem. Break yarn, place Sts on hold and work the left shoulder.

LEFT SHOULDER

Starting with 27 (29, 30, 30) [32, 32, 32] (32, 34, 35, 35, 36) Sts. Rejoin yarn at neck edge.



Row 1 (WS): Bo 2 Sts, K3, P2, (SI1) x 3, P1, (SI1) x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn. 25 (27, 28, 28) [30, 30, 30] (30, 32, 33, 34) Sts Rem.

Row 2 (RS): Work established Patt to M, Slm, P1, K2, P1, K6, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K2. Turn.

Row 3 (WS): Bo 1 St, K1, P7, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn. 24 (26, 27, 27) [29, 29, 29] (29, 31, 32, 32, 33) Sts plus 4 Sts from the Kfbs Rem.

Row 4 (RS): Work established Patt to M, Slm, P1, 1/1RC, P1, K8, Kfbf, SI1, Kfbf, K3. Turn.

Row 5 (WS): Bo 1 St, P2, (SI1) x 3, P1, (SI1) x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn. 23 (25, 26, 26) [28, 28, 28] (28, 30, 31, 31, 31) Sts Rem.

Row 6 (RS): Work established Patt to M, Slm, P1, K2, P1, 1/1LC, 1/1RC, K2, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K1. Turn.

Row 7 (WS): P all Sts while decreasing 4 (6, 7, 7) [7, 7, 6] (5, 7, 7, 7, 8) Sts evenly. 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) Sts Rem. Place Sts on hold to be worked later and work back.

Armhole opening measures approx. 23 (23, 23, 25) [25, 25, 25] 25, 29, 29, 29, 29]cm / 9 (9, 9, 10) [10, 10, 10] (10, 11.25, 11.25, 11.25, 11.25)".

BACK

Rejoin yarn starting on RS at Right armhole edge, starting with 72 (76, 80, 84) [88, 92, 100] (104, 108, 112, 120, 124) Sts. Incorporate armhole shaping while working the following Rows.

Notes: Bos are done on both RS and WS and some sizes will contain little or no Moss St on either side after Bos are complete. There are more Sts on front for accommodating chest size.

- Bo 2 Sts at the beginning of the next 2 (4, 4, 4) [6, 8, 8] (8, 10, 10, 12, 12) Rows.

- Then, Bo 1 St at the beginning of the next 2 (2, 4, 6) [6, 6, 6] (8, 8, 10, 10, 12) Rows.

When Bos are complete 66 (66, 68, 70) [74, 74, 78] (80, 80, 82, 86, 88) Sts Rem.

When Armhole shaping Bos are complete work to the end of the 8 Patt rows without Bos.

Then Rep Rows 1 - 8 another 7 times.

Row 1 [RS]: Work established Patt to M, Slm, P1, 1/1RC, P1, K8, Kfbf, SI1, Kfbf, K4, (1/2/1LPC, P2)x 4, 1/2/1LPC, K4, Kfbf, SI1, Kfbf, K8, P1, 1/1LC, P1, Slm, work established Patt to end. Turn.

Row 2 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (SI1)x 3, P1, (SI1)x 3, P2, K2, (Ptbl, K2)x 10, P2, (SI1) x 3, P1, (SI1) x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.



Row 3 [RS]: Work established Patt to M, Slm, P1, K2, P1, K6, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K6, P1, K2, P1 Slm,, work established Patt to end. Turn.

Row 4 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P7, (K2, Ptbl)x 10, K2, P7, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Row 5 [RS]: Work established Patt to M, Slm,P1, 1/1RC, P1, K8, Kfbf, SI1, Kfbf, K4, Ktbl, (P2, 1/2/1LPC)x 4, P2, Ktbl, K4, Kfbf, SI1, Kfbf, K8, P1, 1/1LC, P1, Slm, work established Patt to end. Turn.

Row 6 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P2, (SI1)x 3, P1, (SI1)x 3, P2, (K2, Ptbl)x 10, K2, P2, (SI1)x 3, P1, (SI1)x 3, P2, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

Row 7 [RS]: Work established Patt to M, Slm, P1, K2, P1, 1/1LC, 1/1RC, K2, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K2, (Ktbl, P2)x 9, Ktbl, K2, 3/2RC-K3tog, SI1, 3/2LC-K3tog-tbl, K2, 1/1LC, 1/1RC, P1, K2, P1, Slm, work established Patt to end. Turn.

Row 8 [WS]: Work established Patt to M, Slm, K1, P2, K1, P4, K2, P7, (K2, Ptbl)x 10, K2, P7, K2, P4, K1, P2, K1, Slm, work established Patt to end. Turn.

BACK CONTINUED

After Row Repeats are complete, piece measures approx. 53 (53, 53, 56) [56, 56, 56] (59, 62, 62, 62, 62)cm / 21 (21, 21, 22) [22, 22, 22] (23.25, 24.5, 24.5, 24.5, 24.5)".

Then work Neck separation.

NECK SEPARATION

Starting with 66 (66, 68, 70) [74, 74, 78] (80, 80, 82, 86, 88) Sts Rem. Without working any Kfbfs, work established Patt over the next 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) Sts for shoulder, place just worked 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) on hold for Right shoulder. K28 (28, 30, 32) [32, 32, 34] (34, 34 36, 38, 40) across the back of the neck, place just worked 28 (28, 30, 32) [32, 32, 34] (34, 34 34, 38, 40) on hold for neck. Without working any Kfbs, work established Patt over Rem 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) Sts to end.

Do not break yarn. Turn to WS and join shoulders using 3-needle bind off.

JOIN SHOULDERS

3-Needle Bind off method.

Step 1 - Working on WS, align front shoulder 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) Sts. with back shoulder on hold 19 (19, 19, 19) [21, 21, 22] (23, 23, 23, 24, 24) Sts. Sl the on hold Sts. back onto a needle, rejoin yarn if the working yarn is not left at this part.

Step 2 - Using a same or similar sized third needle, insert it into the front first St on the first needle as if to knit. Then, go through the first St on the back needle as if to knit at the same time. Your needle will be through 2 Sts.

Step 3 - Wrap the yarn around the 2 Sts to knit them together.

Step 4 - Knit the next front needle and back needle Sts together in the same manner.

Step 5 - You will have 2 Sts on the third needle (RN). Bo the first St by slipping it over the second St just like a basic knit knit Bo. If the second needle is in the way, work around it using the back needle to Sl the St over if you find it easier.

Rep Steps 2 to 5 until all Sts have been bound off.

Then work collar.

COLLAR

Using smaller needle, join yarn with RS facing. Pick up and K10 (10, 12, 14) [14, 14, 14] (14, 16, 16, 18, 18] Sts from the top left shoulder down, place the 24 on hold Sts onto a spare needle, K across them, pick up and K another 10 (10, 12, 14) [14, 14, 14] (14, 16, 16, 18, 18] Sts up the right shoulder and across the back, place the K28 (28, 30, 32) [32, 32, 34] (34, 34 36, 38, 40) on hold Sts on a spare needle, K across them. Pick up and K15 (15, 15, 15) [15, 18, 18, 19, 19] Sts across the back of the shoulder to the top of the left shoulder. Pm for Bor.
72 (72, 78, 84) [84, 84, 86] (86, 90, 92, 96, 100) Sts total.

Work ribbed collar Rnds as follows:

All Rnds: *(K1, P1), Rep from * to end.

Work rib for 2.5 cm / 1".

Bo in pattern or use a stretchy Bo method.

SLEEVE CUFFS

Using smaller needle, join yarn with RS facing. Pick up and K35 (35, 35, 37) [37, 37, 37] (37, 39, 39, 41, 41] Sts from the underarm up to the shoulder, pick up and K35 (35, 35, 37) [37, 37, 37] (37, 39, 39, 41, 41] Sts down the shoulder to the centre of the underarm. Pm for Bor.
70 (70, 70, 74) [74, 74, 74] (74, 78, 78, 82, 82) Sts total.

Work ribbed cuff Rnds as follows:

All Rnds: *(K1, P1), Rep from * to end. Work rib for 2.5 cm / 1".

Bo in pattern or use a stretchy Bo method.

FINISHING

Weave in all loose ends.

Block if necessary.

Wear with delight!

Enjoy!

Rhonda Yerxa

