



KNITTING PATTERN

Serenity

Sweater

Design: Jenny Watson Designs | Hobbii Design




MATERIALS

3 [4:4:5:5] balls of Winter Glow Solid color
24

Knitting needles 4 mm/US 6/UK 8
Knitting needles 3.25 mm/US 3/UK 10
Stitch holders
Cable needle

YARN QUALITY

 **Winter Glow Solid**, Hobbii
51% Wool, 49% Acrylic
100 g (3.5 oz) = 350 m (382 yds)

GAUGE

22 sts x 28 rows = 10 cm x 10 cm / 4" x 4"

SIZE

S [M:L:XL:2XL]

MEASUREMENTS

To Fit Chest: 71/76
[81/86:91/97:102/107:112/117] cm / 28/30
[32/34:36/38:40/42:44/46]"

Actual Measurement: 86 [97:106:117:126] cm /
34 [38:41.75:46:49.75]"

Full Length: 47 [49:51:53:55] cm / 18.5
[19.75:20:20.75:21.5]"

Sleeve Length: 47 [48:48:48:49] cm / 18.5
[19:19:19:19.75]"

PATTERN INFORMATION

Serenity is a cosy, nature inspired fitted sweater with stocking stitch sleeves and upper bodice with a horizontally knitted lower cable panel.

The lower cable panel detailing is inspired by the organic growth of plants and coral.

To create this look the Horizontal cable panel is knitted in one piece then turned on its side and attached to the upper front and upper back which are knitted separately. The Horizontal cable panel is then sewn to the Upper Front and Back, to give a neat finish, stitches are then picked up around the bottom hemline of the Horizontal Cable Panel and 1x1 rib is then worked down.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiinaturalbeauty
#hobbiiserenity

BUY THE YARN HERE

<https://shop.hobbii.com/serenity-sweater>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com. Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



ABBREVIATIONS

Alt = alternate
 Beg = beginning
 Cont = continue
 CN = Cable Needle
 Dec = decrease(ing)
 Foll = Following
 Inc = increase(ing)
 K = Knit
 M = millimetres
 P = Purl
 Patt = pattern
 Pss0 = pass slipped stitch over
 Rep = repeat
 Rem = remaining
 Rs = right side
 S1 = slip one stitch knitwise
 St(s) = stitch(es)
 Tbl = through back of loop
 Tog = together
 Ws = wrong side

SPECIAL ABBREVIATIONS

1x1 Rib:

1st Row: *K1, P1, rep from * to last st, K1.

2nd Row: P1, *K1, P1, rep from * to end.

Rep 1st and 2nd rows.

St-St. Stocking Stitch:

1st Row: Knit.

2nd Row: Purl.

Rep 1st and 2nd rows.

C4B: Slip next 2sts onto CN and hold at back of work, K2 then K2 from CN.

C4F: Slip next 2sts onto CN and hold at front of work, K2 then K2 from CN.

C6B: Slip next 3sts onto CN and hold at back of work, K3 then K3 from CN.

C6F: Slip next 3sts onto CN and hold at front of work, K3 then K3 from CN.

UPPER FRONT

Using 4mm needles, cast on 95 [107:117:129:139]sts and knit 4 rows.

Commencing with a knit row and working in st-st cont until Front measures 6cm / 2.25", ending with a ws row.

Shape Armholes

Cast off 6sts at beg of next 2 rows. 83 [95:105:117:127]sts.

Next Row: K2, s1, K1, pssso, knit to last 4sts, K2tog, K2.

Next Row: P2, P2tog, purl to last 4sts, P2togtbl, P2. 79 [91:101:113:123]sts

Rep last 2 rows 0 [1:2:3:3] times more. 79 [87:93:101:111]sts.

Next Row: K2, s1, K1, pssso, knit to last 4sts, K2tog, K2. 77 [85:91:99:109]sts.

Next Row: Purl.

Rep last 2 rows 2 [3:3:4:5] times more. 73 [79:85:91:99]sts.**

Cont without shaping until armholes measure 8 [10:12:14:16]cm / 3.25 [4:4.75:5.5:6.25]", ending with a ws row.

Shape Neck

Next Row: K27 [30:33:35:39], turn and leave rem 46 [49:52:56:60]sts on needle.

Working on these 27 [30:33:35:39]sts only for first side of neck proceed as follows:-

Next Row (ws): Neck Edge. P2, P2tog, purl to end. 26 [29:32:34:38]sts.

Next Row: Knit to last 4sts, K2tog, K2.

Next Row: P2, P2tog, purl to end. 24 [27:30:32:36]sts.

Rep last 2 rows twice more. 20 [23:26:28:32]sts.

Next Row: Knit to last 4sts, K2tog, K2. 19 [22:25:27:31]sts.

Next Row: Purl.

Rep last 2 rows twice more. 17 [20:23:25:29]sts.

Cont without shaping until the armhole measures 20 [22:24:26:28]cm / 7.75 [8.75:9.5:10.25:11]", ending with a ws row.

Cast off.

With rs facing, slip first 19 [19:19:21:21]sts onto a stitch holder for Neckband, rejoin yarn to rem 27 [30:33:35:39]sts and knit to end.

Next Row (ws): Purl to last 4sts, P2togtbl, P2. Neck Edge. 26 [29:32:34:38]sts.

Next Row: K2, s1, K1, pssso, knit to end.

Next Row: Purl to last 4sts, P2togtbl, P2. 24 [27:30:32:36]sts.

Rep last 2 rows twice more. 20 [23:26:28:32]sts.

Next Row: K2, s1, K1, pss0, knit to end. 19 [22:25:27:31]sts.

Next Row: Purl.

Rep last 2 rows twice more. 17 [20:23:25:29]sts.

Cont without shaping until the armhole measures 20 [22:24:26:28]cm / 7.75 [8.75:9.5:10.25:11]”, ending with a ws row.

Cast off.

UPPER BACK

Work exactly as given for Front until ** is reached. 73 [79:85:91:99]sts.

Cont without shaping until armhole measures 20 [22:24:26:28]cm / 7.75 [8.75:9.5:10.25:11]”, ending with a ws row.

Next Row: Cast off 17 [20:23:25:29]sts, K38 [38:38:40:40]sts, cast off rem sts.

Leave centre 39 [39:39:41:41]sts on a stitch holder for Neckband.

LOWER FRONT/BACK CABLE PANEL

Worked sideways in one piece

Using 4mm needles, cast on 66sts.

1st Foundation Row: K3, P3, K30, P3, K12, P3, K8, P3, K1.

2nd Foundation Row: P1, K3, P8, K3, P12, K3, P30, K6.

Proceed as follows:

1st Row: K3, P3, K9, C6B, C6F, K9, P3, K12, P3, K8, P3, K1.

2nd and Every Alt Row: P1, K3, P8, K3, P12, K3, P30, K6.

3rd Row: K3, P3, K6, C6B, K6, C6F, K6, P3, K12, P3, K8, P3, K1.

5th Row: K3, P3, K3, C6B, K12, C6F, K3, P3, C6B, C6F, P3, C4B, C4F, P3, K1.

7th Row: K3, P3, C6B, K18, C6F, P3, K12, P3, K8, P3, K1.

8th Row: P1, K3, P8, K3, P12, K3, P30, K6.

1st to 8th row sets cable patterns.

Keeping continuity of pattern as se. Continue until Lower Front/Back Cable Panel measures approximately 86 [97:106:117:126]cm / 33.75 [38.25:41.75:46:49.5]”, ending with 8th row of pattern.

Cast off in pattern.

SLEEVES (Both Alike)

Using 3.25mm needles, cast on 51 [55:57:61:63]sts.

1st Row (rs); K1, *P1, K1, rep from * to end.

2nd Row: *P1, K1, rep from * to last st, P1.

Last 2 rows set 1x1 rib, work 28 rows more.

Change to 4mm needles, commencing with a knit row and working in st-st (throughout) work 85 [89:89:95:95] rows inc 1 st at each end of 5th and every foll 8th [7th:6th:6th:5th] row. 73 [81:87:93:101]sts.

Cont without shaping until Sleeve measures 47 [48:48:48:49]cm / 18.5 [19:19:19:19.25]" , ending with a ws row.

Shape Sleeve Top

Cast off 6sts at beg of next 2 rows. 61 [69:75:81:89]sts.

Next Row: K2, s1, K1, pssso, knit to last 4sts, K2tog, K2. 59 [67:73:79:87]sts.

Work 3 rows in st-st.

Rep last 4 rows 3 [2:2:2:2] times more. 53 [63:69:75:83]sts.

Next Row: K2, s1, K1, pssso, knit to last 4sts, K2tog, K2. 51 [61:67:73:81]sts.

Next Row: Purl.

Rep last 2 rows 11 [16:18:21:24] times more. 29 [29:31:31:33]sts.

Work 2 rows dec 1 st at each end of both rows. 25 [25:27:27:29]sts.

Cast off 2 [2:3:3:4]sts at beg of next 2 rows. 21sts.

Cast off rem 21sts.

NECKBAND

Join right shoulder seam.

With rs facing, using 3.25mm needles pick up and knit 33sts evenly along left side of neck, knit across 19 [19:19:21:21]sts left on a stitch holder at front of neck, pick up and knit 32sts evenly along right side of neck and knit across 39 [39:39:41:41]sts left on a stitch holder at back of neck. 123 [123:123:127:127]sts.

Next Row: Knit.

Commencing with 1st row of 1x1 rib work 8 rows.

Cast off in rib.

LOWER FRONT/BACK BORDER

Join right side seam of Upper Front and Upper Back to armhole. Sew Lower Front/Back Cable Panel to cast on edge of Upper Front and Back as shown in photograph. With rs facing, using 3.25mm needles pick up and knit 229 [253:277:305:329]sts evenly along lower edge of Front/Back Cable Panel.

Next Row: P1, *K1, P1, rep from * to end.

Next Row: *K1, P1, rep from * to last st, K1.

Last 2 rows set 1x1 rib, work 8 rows more.

Cast off in rib.

TO MAKE UP

Join left side seam of Cable Panel, Upper Front and Upper Back to armhole. Join left shoulder and Neckband seams. Fold Sleeves in half lengthways then placing fold to shoulder seam sew Sleeves in position. Join Sleeve seams. Pin out garment to actual

measurement and leave under a damp cloth for 24 hours. See ball band for pressing and care instructions.

Enjoy!

Jenny Watson Designs

