



CROCHET PATTERN

Ghost

Hooded Sweater

Design: Giulia Introzzi @zullacrocheted | Hobbii Design




MATERIALS

14 (14, 16, 18) skein of Diablo in col. Optic White (01)

Crochet hook 4.0 mm
Scissors
Darning needle
Tape measure

YARN QUALITY

 **Diablo**, Hobbii
40% Acrylic, 30% Mohair, 30% Polyamide
25 g = 225 m

GAUGE

Gauge 10 x 10 cm = 12 sts x 8 rows
(in pattern)

ABBREVIATIONS

st(s) = stitch(es)
ch = chain
slst = slip stitch
sc = single crochet
dc = double crochet
2dctog = 2 double crochet together
(decrease)
3dctog = 3 double crochet together
(decrease)

SIZE

S (M, L, XL)

MEASUREMENTS

Circumference: 82 (92, 102, 112) cm
Length: 58 cm (neck to waist)
Wingspan: 146 (150, 154, 158) cm (from wrist to wrist)

PATTERN INFORMATION

Soft, light but warm sweater with a big hoodie and bat sleeves recalling the shape of a ghost. Worked in panels sewn together.

HASHTAGS FOR SOCIAL MEDIA

#hobbiighost #hobbiidesign

BUY THE YARN HERE

<https://shop.hobbii.com/ghost-hooded-sweater>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com
Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



GAUGE SWATCH

With a 4 mm hook and 2 strands held together:

- Ch 24, ch3 more & turn, dc in 4th ch from hook, dc in every ch until end of row
- Ch 3 & turn, dc in every st until end of row

Repeat the last row another 14 times.

Measure the center of your gauge: you should measure 12 sts x 8 rows for a 10 cm x 10 cm square.

If you don't match gauge, change your hook size to the one that enables you to correctly meet gauge.

FRONT PANEL

FP 1 Ch 145 (150, 155, 160), ch 3 more & turn, dc in 4th ch from hook, dc in every ch until end of row. 145 (150, 155, 160)

FP 2 Ch 3 & turn, dc in every st until end of row. 145 (150, 155, 160)

Repeat FP 2 for another 7 (7, 8, 9) times.

FP 3 Ch 3 & turn, 3dctog, dc in every st until 4th before the last, 3dctog. (141, 146, 151, 156)

Repeat FP 3 for another 19 times until you reach the following stitch count 65 (70, 75, 80).

FP 4 Ch 3 & turn, 2dc tog, dc in every st until 3rd before the last, 2dctog. 63 (68, 73, 78)

Repeat FP 4 for another 4 times until you reach stitch count 55 (60, 65, 70)

FP 5 Ch 3 & turn, dc in every st till end of row. 55 (60, 65, 70)

FP 6 Ch 3 & turn, dc in every st till end of row. 55 (60, 65, 70)

FP 7 Ch 3 & turn, 2dc in first st, dc in every st until the one before the last, 2dc in last st.
57 (62, 67, 72)

Repeat FP 7 for another 4 times, until you reach stitch count 65 (70, 75, 80)

FP 8 Ch 3 & turn, dc in every st until end of row. 65 (70, 75, 80)

Repeat FP 8 until desired length (in pictured sample FP 8 was repeated another 6 times).

Fasten off.

BACK PANEL

Repeat Front Panel

HOOD

H 1 Ch 130, ch 3 more & turn, dc in 4th ch from hook, dc in every ch till end of row. 130

H 2 Ch 3 & turn, dc in every st till end of row. 130

Repeat H 2 for another 24 (28, 31, 35) times.

Fold the hood in half on the short side and align the stitches of the last worked row so that you can start joining with 65 sc the sts of the last row.

Fasten off.

We will now place 1 sc on each row side on the bottom hood edge:

Attach yarn on one of the front hood edges and place 1 sc in every row side, for a total of 52 (60, 66, 74) sc.

Fasten off.

ASSEMBLY

Lay down your front and back panel one on top of the other, wrong side facing out.

Attach yarn on one of the bottom waist side and join the two sides until you reach the wrist opening: 9 (9, 10, 11) rows from the top should be left un-joined to enable the wrist opening.

Repeat on the other side.

Attach yarn on the top wrist edge and join the two panels along the arm and until the neck opening by placing 57 (58, 59, 60) sc. Fasten off.

Repeat on the other side.

You should now have a neck opening of 62 (68, 74, 80) sts.

Turn your work inside out, so that the right side of your work will now face out. Decide which panel will be your front panel and find the central 10 (8, 8, 6) sts of your front neckline and mark them with two stitch markers: you will leave these sts unworked.

Now pick up the hood and by working on the wrong side, join the bottom hood edge (the one where we placed sc along row sides) to the neck opening starting from the first stitch marker, all around the neckline, until you reach the second stitch marker.

Fasten off.

SLEEVE FINISHING

Attach yarn on one wrist:

SF 1 Ch 3, 2dc in each row side around your wrist. Slst to first dc of the row. 36 (36, 40, 44)

SF 2 Ch 3, 2 dc in every st until end of row. Sl st to first dc of the row. 72 (72, 80, 88)

Repeat SF 2 for another 8 times.

Fasten off.

Now block your work and enjoy your new spooky sweater!

Giulia