



KNITTING PATTERN

Lurdes

Chevron Pullover

Design: Maria Gomes | Autumn 2024

MATERIALS

Hobbii Highland Wool

Yarn A: Orange (30); 4 (4, 5, 5, 6, 6, 7, 8, 10) balls

Yarn B: Lilac (37); 1 (2, 2, 2, 2, 2, 3, 3, 3) balls

Yarn C: Yellow (26); 1 (2, 2, 2, 2, 2, 3, 3, 3) balls

Yarn D: Green (20); 1 (2, 2, 2, 2, 2, 3, 3, 3) balls

3mm / US 2.5 circular needle, 80cm / 32" length **and** needles suitable for working small circumferences in the round

3.5mm / US 4 circular needle, 80cm / 32" length **and** needles suitable for working small circumferences in the round

Always use a needle size that will result in the correct gauge after blocking.

Locking stitch markers (2), stitch markers (2), stitch holders or waste yarn.

YARN QUALITY

 **Highland Wool**, Hobbii

DK-weight

100% Wool

50 g (1.75 oz) = 175 m (191 yds)

SIZE

1 (2, 3, 4, 5, 6, 7, 8, 9)

MEASUREMENTS

Finished chest (fullest point) circumference: 81 (91, 101.5, 111.5, 122, 132, 142, 152, 162.5)cm / 32 (36, 40, 44, 48, 52, 56, 60, 64)" – to be worn with 12-16cm / 4¾-6¼ " positive ease

Model has a 104 cm / 41" chest circumference and is wearing a size 5.

PATTERN INFORMATION

Lurdes is worked from the top down. The back is worked first and German short rows are used to shape the shoulders. The back is worked until the underarm. Next stitches are picked up from the back shoulders for each side of the front. German short rows are also used to shape the front shoulders. After the neck shaping is done, right and left fronts are joined together and worked to the same length as the back to underarm. The front and back are joined together and worked in the round. Once the body is complete, the sleeves and the neckband are worked in the round.

HASHTAGS FOR SOCIAL MEDIA

#LurdesPullover #PomPomXHobbii

BUY THE YARN HERE

<https://shop.hobbii.com/lurdes-chevron-pullover>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com. Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



GAUGE

23 sts & 30.5 rounds = 10cm / 4" over St st on 3.5mm needles in the round after blocking.

24 sts & 42 rounds = 10cm / 4" over Chevron pattern on 3.5mm needles in the round after blocking.

ABBREVIATIONS

Beg	Beginning
dec(s)	Decrease/s/d/ing
Inc	Increase/s/d/ing
K	Knit
K2tog	Knit 2 stitches together
LH	Left-hand (e.g. LH needle)
M1L	Make 1 Left; pick up strand between the two needles from the front to back with the tip of left needle, knit into the back of this stitch
M1R	Make 1 Right; pick up strand between the two needles from back to front with the tip of left needle, knit into the front of this stitch
M1LP	Make 1 Left Purlwise; pick up strand between the two needles from the front to back with the tip of left needle, purl into the back of this stitch
M1RP	Make 1 Right Purlwise; pick up strand between the two needles from back to front with the tip of left needle, purl into the front of this stitch
Patt	Pattern
PM	Place Marker
P	Purl
Rep	Repeat
RS	Right side
SM	Slip Marker
Sl st	Slip stitch
Ssk	Slip 2 stitches knitwise one at a time, knit them together through back loop

st(s)	Stitch(es)
St st	Stocking stitch / Stockinette
WS	Wrong side
Wyib	With yarn in back
Wyif	With yarn in front

STITCH GLOSSARY

Cable Cast-On on WS: Turn work to WS. [Insert right needle from back to front between first 2 sts on LH needle. Wrap yarn as if to purl. Draw yarn through to complete st and slip this new st to LH needle] to end.

German Short Rows

Create DS: Bring yarn to front, slip the first stitch as if to purl, bring yarn over the needle to the back of your work and pull tight (it will look like a double stitch = DS)

Resolving Double Stitches: When you encounter the DS on subsequent rows, work DS in pattern, inserting needle through both legs of the DS and treating it as one stitch.

1x1 Rib (in the round):

Round 1: [K1, p1] to end.

Rep round 1 for pattern.

Chevron Pattern (flat):

Row 1 (RS): [Sl3 wyib, k1] to end.

Row 2 (WS): [P2, sl1 wyif, p1] to end.

Row 3: K to end.

Row 4: P to end.

Rep rows 1-4 for pattern.

Chevron Pattern (in the round):

Round 1: [Sl3 wyib, k1] to end.

Round 2: [K1, sl1 wyib, k2] to end.

Round 3: K to end.

Round 4: K to end.

Rep rounds 1-4 for pattern.

PATTERN BEGINS

Note: Stripe Pattern

For 4-colour chevron patt, work 4 rows each in the order B, C, D, A throughout. Carry unused colours up the side of the work, twisting the strands together at the beginning of the row.

BACK

Using larger needles and yarn A, cast on 117 (129, 141, 153, 165, 177, 189, 201, 213) sts.

Set-up row (WS): P to end.

Place locking stitch markers into the 38 (43, 48, 53, 59, 65, 70, 75, 80)th st in from each side along cast on edge.

Shape Shoulders

Short Row 1 (RS): K80 (87, 94, 101, 107, 113, 120, 127, 134), turn.

Short Row 2 (WS): Create DS, p42 (44, 46, 48, 48, 48, 50, 52, 54), turn.

Short Row 3 (RS): Create DS, k to DS, resolve DS, k13 (14, 16, 18, 20, 22, 23, 25, 27), turn.

Short Row 4 (WS): Create DS, p to DS, resolve DS, p13 (14, 16, 18, 20, 22, 23, 25, 27), turn.

Rep Short rows 3-4 once more.

Next row (RS): Create DS, k to end, resolving DS.

Next row (WS): P to end, resolving DS.

Commence Chart

Note: For 4-colour chevron patt, work 4 rows each in the order B, C, D, A throughout.

Join yarn B.

Row 1 (RS): K1, work row 1 of Chevron Chart to end.

Row 2 (WS): Work row 2 of Chevron Chart to last st, p1.

Working the next row of chart each time, work straight until Back measures 19 (20, 22, 23, 24, 26, 27, 28, 30)cm / 7½ (7¾, 8½, 9, 9½, 10¼, 10½, 11, 11¾)" measured at armhole edge, ending with a WS row.

Break yarns. Place sts on hold.

LEFT FRONT

With RS of back facing and cast-on edge at top, using yarn A and larger needles, beg at left stitch marker, pick up and knit 38 (43, 48, 53, 59, 65, 70, 75, 80) sts from locking marker to armhole edge.

Set-up row (WS): P to end.

Shape Shoulders

Short Row 1 (RS): K14 (15, 17, 19, 21, 23, 24, 26, 28), turn.

Short Row 2 (WS): Create DS, p to end.

Short Row 3: K to DS, resolve DS, k13 (14, 16, 18, 20, 22, 23, 25, 27), turn.

Short Row 4: Create DS, p to end.

Short Row 5: K to end, resolving DS.

Short Row 6: P to end.

Commence Chart

Note: For 4-colour chevron patt, work 4 rows each in the order B, C, D, A throughout.

Row 1 (RS): K2, work row 1 of Left Front Chevron Chart for your size to end.
work 0 (1, 2, 3, 1, 3, 0, 1, 2) sts in Chevron patt (a partial repeat), work Chevron patt to end.

Row 2 (WS): Work row 2 of Left Front Chevron Chart for your size to last 2 sts, p2.
Working the next row of chart each time, work straight in patt until Left Front measures 7.5 (7.5, 8.5, 8.5, 8.5, 8.5, 9.5, 9.5, 9.5)cm / 2¾ (2¾, 3¼, 3¼, 3¼, 3¼, 3¾, 3¾, 3¾)" measured from top of shoulder at neck edge, ending with a WS row.

SHAPE NECK

Row 1 (RS)(inc): K2, M1L, work in patt to end. 1 st inc

Row 2 (WS): Work in patt to last 2 sts, p2.

Rep rows 1-2 a further 7 times. 46 (51, 56, 61, 67, 73, 78, 83, 88) sts

Next row (RS)(inc): K2, M1L, work in patt to end. 47 (52, 57, 62, 68, 74, 79, 84, 89) sts

Next row (WS)(inc): Work in patt to last 2 sts, M1RP, p2. 48 (53, 58, 63, 69, 75, 80, 85, 90) sts

Break yarns. Place sts on hold.

RIGHT FRONT

With RS of back facing and cast-on edge at top, using yarn A and larger needles, beg at right armhole edge, pick up and knit 38 (43, 48, 53, 59, 65, 70, 75, 80) sts from armhole edge to locking st marker.

Set-up row 1 (WS): P to end.

Set-up row 2 (RS): K to end.

Shape Shoulders

Short Row 1 (WS): P14 (15, 17, 19, 21, 23, 24, 26, 28), turn.

Short Row 2 (RS): Create DS, k to end.

Short Row 3: P to DS, resolve DS, p13 (14, 16, 18, 20, 22, 23, 25, 27), turn.

Short Row 4: Create DS, k to end.

Short Row 5: P to end, resolving DS.

Commence Chart

Note: For 4-colour chevron patt, work 4 rows each in the order B, C, D, A throughout.

Row 1 (RS): K1, work row 1 of Right Front Chevron Chart for your size to last 2 sts, k2.

Row 2 (WS): P2, work row 2 of Right Front Chevron Chart to last st, p1.

Working the next row of chart each time, work straight in patt until Right Front measures 7.5 (7.5, 8.5, 8.5, 8.5, 8.5, 9.5, 9.5, 9.5)cm / 2¾ (2¾, 3¼, 3¼, 3¼, 3¼, 3¾, 3¾, 3¾)" measured from top of shoulder at neck edge, ending with a WS row.

SHAPE NECK

Row 1 (RS)(inc): Work in patt to last 2 sts, M1R, k2. 39 (44, 49, 54, 60, 66, 71, 76, 81) sts

Row 2 (WS): P2, work in patt to end.

Rep rows 1-2 a further 7 times. 46 (51, 56, 61, 67, 73, 78, 83, 88) sts

Next row (RS)(inc): Work in patt to last 2 sts, M1R, k2. 47 (52, 57, 62, 68, 74, 79, 84, 89) sts

Next row (WS)(inc): P2, M1LP, work in patt to end. 48 (53, 58, 63, 69, 75, 80, 85, 90) sts

Join Fronts

Joining Row (RS): Work in patt across Right Front sts, cast on 21 (23, 25, 27, 27, 27, 29, 31, 33) sts for center front neck using Cable CO on WS, turn work, return held left front sts to LH needle and work in patt across Left Front sts. 117 (129, 141, 153, 165, 177, 189, 201, 213) sts

Work straight in patt until Front measures 19 (20, 22, 23, 24, 26, 27, 28, 30)cm / 7½ (7¾, 8½, 9, 9¼, 10¼, 10½, 11, 11¾)" measured at armhole edge, ending with a WS row.

BODY

Joining Row (RS): Work in patt across Front sts, PM, return held Back sts to LH needle and work in patt across back sts. PM to indicate beg of round. 234 (258, 282, 306, 330, 354, 378, 402, 426) sts.

Work even in patt until Body measures 27cm / 10½" from underarm, ending with round 4 of Chevron patt.

Hem

Cut all yarns, except yarn A.

Change to smaller needles and with yarn A, knit 1 round.

Work 15 rounds in 1x1 Rib.

Cut yarn A and join yarn C.

Work 1 round in 1x1 Rib.

Cast off all stitches using the tubular cast off method.

SLEEVES

With yarn A, larger needles preferred style for small circumference circular knitting and beginning at underarm join, pick up and knit 90 (96, 104, 110, 114, 124, 128, 134, 144) sts around the armhole. PM for beginning of the round.

Knit 14 (11, 19, 19, 19, 19, 19, 11, 3) rounds.

Dec Round: K1, ssk, k to last 3 sts, k2tog, k1. 2 sts dec

Rep Dec Round on 7 (6, 5, 5, 5, 4, 4, 4, 4)th round a further 14 (17, 19, 19, 19, 24, 24, 26, 28) times. *60 (60, 64, 70, 74, 74, 78, 80, 86) sts*
Knit 6 (5, 4, 4, 4, 3, 3, 3, 3) rounds.

SIZES 1, 2 & 3 ONLY

Join yarn B.

Next round: Work row 1 of Chevron Chart to end.

Working next row of chart each time and changing colours as for body, work a further 11 rounds in patt.

SIZES 4, 5, 6, 7, 8 & 9 ONLY

Dec Round: K1, ssk, k0 (0, 0, 0, 0, 0, 0, 1, 0), work Chevron Chart to 3 (3, 3, 3, 3, 3, 3, 4, 3) sts from end, k0 (0, 0, 0, 0, 0, 0, 1, 0), k2tog, k1. *2 sts dec*

Working next row of chart each time, maintaining pattern and changing colours as for body, rep Dec Round on 5th round a further 2 times. *60 (60, 64, 64, 68, 68, 72, 74, 80) sts*

Next round: Work in patt to end.

ALL Sizes again

Cuff

Cut all yarns, except yarn A.

Change to smaller needles and with yarn A, knit 1 round.

Work 15 rounds in 1x1 Rib.

Cut yarn A and join yarn D. Work 1 round in 1x1 Rib.

Cast off all stitches using the tubular cast off method.

NECKBAND

With RS facing, using yarn A and smaller needles, beginning at right shoulder seam, pick up and knit 41 (43, 45, 47, 47, 47, 49, 51, 53) sts evenly along back neck edge and 75 (77, 83, 85, 85, 85, 91, 93, 95) sts evenly along front neck edge. PM for beginning of the round. *116 (120, 128, 132, 132, 132, 140, 144, 148) sts*

Work 9 rounds in 1x1 Rib.

Cut yarn A and join yarn B. Work 1 round in 1x1 Rib.


Cast off all stitches using the tubular cast off method.

FINISHING

Weave in ends and block the sweater to measurements.

Enjoy!

SCHEMATIC



A. Chest circumference: 97.5 (107.5, 117.5, 127.5, 137.5, 147.5, 157.5, 167.5, 177.5)cm / 38¹/₄ (42¹/₄, 46¹/₄, 50, 54, 58, 62, 66, 70)"

B. Length (hem to underarm): 32cm / 12¹/₂"

C. Armhole depth: 19 (20, 22, 23, 24, 26, 27, 28, 30)cm / 7¹/₂ (7³/₄, 8¹/₂, 9, 9¹/₄, 10¹/₄, 10¹/₂, 11, 11³/₄)"

D. Sleeve length: 46.5cm / 18¹/₄"


E. Upper sleeve circumference: 39 (42, 45, 47.5, 49.5, 53.5, 55.5, 58, 62.5)cm / 15¹/₄ (16¹/₂, 17³/₄, 18³/₄, 19¹/₂, 21, 21³/₄, 22³/₄, 24¹/₂)"

F. Wrist circumference: 23 (23, 24.5, 24.5, 26, 26, 27.5, 28, 30.5)cm / 9 (9, 9¹/₂, 9¹/₂, 10¹/₄, 10¹/₄, 10³/₄, 11¹/₄, 12)"


G. Neck circumference: 44.5 (46, 49, 50.5, 50.5, 50.5, 53.5, 55, 56.5)cm / 17¹/₂ (18, 19¹/₄, 19³/₄, 19³/₄, 19³/₄, 21, 21³/₄, 22¹/₄)"

Maria Gomes (she/her), known as Maria G Knits, lives in Porto, Portugal. She has always remembered knitting, an art she learned from her mother and grandmother when she was six years old. She knits anytime and anywhere. For her, knitting is as important as breathing! She defines her knitwear designs as casual, comfy but always with some detail of interest.
@mariagmariag

Chevron Chart



Left Front Chevron Chart



Right Front Chevron Chart




Chart Key



Knit



Slip



Pattern repeat



begin/end sizes 2, 5, 8



begin/end sizes 3, 9



begin/end sizes 4, 6



begin/end sizes 1, 7