



KNITTING PATTERN

Ridge

Slipover

Design: Apple of My Eye | Hobbii Design




MATERIALS

10 (10) 11 (13) 14 skeins of **Friends Wool** color 02

Circular needle 3.5 (US 4) and 4 mm (US 6) – 60 cm (24")
Oblong wooden buttons – 35 mm (1.4"), 6 pcs.
Stitch markers
Stitch wire
Darning needle

YARN QUALITY

 **Friends Wool**, Hobbii
100 % Wool
50 g (1.75 oz) = 100 m (109 yds)

GAUGE

24 sts x 32 rows = 10 x 10 cm (4 x 4") in textured pattern
26 sts x 32 rows = 10 x 10 cm (4 x 4") in rib stitch

ABBREVIATIONS

st(s) = stitch(es)
k = knit
p = purl
RS = right side
WS = wrong side
yo(s) = yarnover(s)
k2tog = knit 2 stitches together
co = cast on
bo = bind off
BOR = beginning of round

SIZE

S (M) L (XL) 2XL

MEASUREMENTS

Length: 50 (52) 54 (56) 58 cm / 19.7" (20.5")
21.3" (22") 22.8"
Bust circumference: 42 (46) 50 (54) 58 cm /
16.5" (18.1") 19.7" (21.3") 22.8"

ABOUT THE PATTERN

The Ridge Slipover is a beautiful, stylish slipover with a lovely textured pattern. The slipover is open at the sides and closed with three buttons on each side which gives it a unique, modern look. It is perfect for both beginners as well as experienced knitters because the textured pattern is simple and worked by means of knit and purl stitches.

Happy crafting!

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiridge

BUY THE YARN HERE

<https://shop.hobbii.com/ridge-slipover>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com
Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



INFORMATION AND TIPS

The pattern begins with the neckline ribbing which is worked in the round. Then the body is worked in the flat in textured pattern – first the back piece and then the front piece. Once the front piece and back piece are finished, stitches are picked up along both sides of the slipover for the ribbing which runs from the bottom of the front piece all the way to the bottom of the back piece.

Pattern in the flat

Row 1: *P2, k2; repeat from * until 3 sts remain, p2, k1.

Row 2: *K2, p2; repeat from * until 3 sts remain, k2, p1.

Repeat rows 1-2 as stated in the pattern.

Neckline

Using circular needle 4 mm (US 6), co 112 (120) 128 (136) 144 sts. Work rib stitch in the round as follows: *K2, p2; repeat from * while placing markers as follows: Place marker (BOR), work rib stitch across 56 (60) 64 (68) 72 sts, place marker, work rib stitch to end. Continue in rib stitch until the work measures 12 (12) 12 (12) 12 cm / 4.7" (4.7") 4.7" (4.7") 4.7". Cut off the yarn and co sts at the neck opening at both shoulders for the front piece and back piece as follows:

Back piece

Begin 2 sts after BOR. Co 28 (30) 32 (34) 36 sts for the left shoulder, move the 56 (60) 64 (68) 72 sts for the neck, co 28 (30) 32 (34) 36 sts on the right-hand needle for the right shoulder. Put the remaining neck sts on hold while working the back piece. The body is now worked in the flat. Begin at the RS of the work. Be aware that the first row is worked in pattern as follows: *P2, k2; repeat from * until 4 sts remain, p2, k2tog. Begin with row 2 of the pattern (see "Pattern"). When the work measures 47 (49) 51 (53) 55 cm / 18.5" (19.3") 20.1" (20.9") 21.7" from the shoulder, finish with 3 cm / 1.2" of ribbing

as follows: *P2, k2; repeat from * until 1 st remains, increase 1 st by picking up the bar between the 2 sts with the left-hand needle from behind and p it, p1. Continue in rib stitch (p2, k2) until the ribbing measures 3 cm / 1.2". Bo.

Front piece

Pick up sts along the 2 shoulders for the front piece. It is important that the rib stitch pattern matches the pattern on each shoulder and along the neck opening. Then follow the same

procedure as for the back piece until the work measures 47 (49) 51 (53) 55 cm / 18.5" (19.3") 20.1" (20.9") 21.7" from the shoulder. Finish with ribbing as on the back piece.

Ribbing

Using circular needle 3.5 mm (US 4), pick up approx. 202 (208) 212 (216) 220 sts. It is important that you pick up an even number of sts. Pick up 1 st per st all the way along the front piece to the end of the back piece.

Make a 4 cm / 1.6" wide ribbing with buttonholes on each side of the slipover as follows:

Work 4 rows in rib stitch (k2, p2).

On the next row, make 3 buttonholes. The first buttonhole is placed after 4 cm / 1.6". The next 2 buttonholes are placed with a distance of 4 cm / 1.6".

Make the buttonholes as follows: Bo 2 sts. On the next row, make 2 yos across each buttonhole.

Work 4 rows in rib stitch.

Bo.

Make a ribbing on the other side of the slipover following the same procedure.

Finishing

Weave in all ends on the WS by sewing into the top part of the sts so that it is invisible from the RS. Sew 3 buttons onto each side of the slipover in alignment with the buttonholes on front of the slipover. Wash the slipover according to the instructions on the yarn label. Place the slipover on a dry towel and pull it into the correct measurements to make sure it dries in the correct shape.

Happy Crafting!

Apple of My Eye

