

CROCHET PATTERN

Essence

T-shirt

Design: Wool Cuddles | Hobbii Design



MATERIALS

5 (5, 6, 7, 7, 8, 9, 9, 10) skeins of **Seashell** color 09

Crochet hook 4.00 mm / US G-6 (or size needed to obtain gauge)

Yarn needle for weaving in ends and seam Scissors

Tape measure for checking gauge and lengths throughout the pattern Stitch markers

YARN QUALITY

Seashell, Hobbii
40% Cotton, 35% Bamboo Viscose, 25%
Linen
50 g / 1.75 oz = 150 m / 164 yds

GAUGE

18 sts x 14 rows in pattern sequence = 10 cm x 10 cm / 4" x 4"

Important: measurements given by a blocked gauge swatch. I used the steam blocking method

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiessence

SIZE

XS (S, M, L, XL, 2XL, 3XL, 4XL, 5XL)

MEASUREMENTS

To fit bust: 28"- 30" (32"- 34", 36"- 38", 40"- 42", 44"- 46", 48"- 50", 52"- 54", 56"- 58", 60"- 62") / 71-76 cm (81-86 cm, 91.5-96.5 cm, 101.5-106.5 cm, 111.5-117 cm, 122-127 cm, 132-137 cm, 142-147 cm, 152-158 cm)

Final bust: 34" (38", 42", 46", 50", 54", 58", 62", 66") / 86 cm (96 cm, 106 cm, 117 cm, 127 cm, 137 cm, 147.5 cm, 157.5 cm, 167.5 cm)

Front/Back panel width: 17" (19", 21", 23", 25", 27", 29", 31", 33") / 43 cm (48 cm, 53 cm, 58.5 cm, 63.5 cm, 68.5 cm, 73.5 cm, 78.5 cm, 83.5 cm) **Front/Back panel length:** 20.5" (20.5", 20.5", 21.7", 21.7", 21.7", 22.5", 22.5", 22.5") / 52 cm (52 cm, 52 cm, 55 cm, 55 cm, 57 cm, 57 cm, 57 cm)

PATTERN INFORMATION

The Essence t-shirt features a playful design with alternating stitches, creating a dynamic and airy texture between each row. The t-shirt has a relaxed, positive ease fit, ideal for warm days.

The t-shirt is worked bottom up in two panels: one back panel and one front panel. The finishing of the collar is crocheted onto the body once it's sewn.

The sample in the picture is a size S.

BUY THE YARN HERE

https://shop.hobbii.com/essence-t-shirt

OUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com

Please make sure to include the pattern's name and number.

Happy Crafting!



Pattern







ABBREVIATIONS

CH = chain
SC = single crochet
DC = double crochet
BLO = back loop only
SC2TOG = single crochet two together
SL ST = slip stitch
ST(S) = stitch(es)
RS = right side

INFO AND TIPS

WS = wrong side

- All measurements given are blocked (I used steam blocking method).
- Note that measurements are given as exact as possible. Crochet tension & technique might give variations in the result, that changes from person to person.
- Pattern is written as follows: XS (S, M, L, XL, 2XL, 3XL, 4XL, 5XL)
- The t-shirt is designed to be worn with 4"- 6" (10-15 cm) of positive ease.
- If between sizes, size down for a fitted look or size up for an oversized look.
- At the end of each row, the stitch count is given in parenthesis.
- CH 1 and CH 2 at the beginning of every row **don't count** as a stitch.
- I suggest making a 6"x 6" (15x15 cm) gauge swatch and checking measurements in the middle of the swatch. The pattern sequence consists of alternating two rows of SC sts and two rows of DC sts.
- Optional: put a stitch marker to mark the right side of work.

FRONT PANEL - RIBBING

CH 7

ROW 1: SC in 2nd chain from hook and across. CH 1, turn. (6 sts)

ROW 2: SC BLO across. CH 1, turn. (6 sts)

ROW 3 until ROW 78 (86, 96, 104, 114, 124, 133, 141, 151): repeat ROW 2. Do not fasten off.

Turn work in order to work along the side of ribbing. CH 1.



BODY

ROW 1 (RS): place 78 (86, 96, 104, 114, 124, 133, 141, 151) SC evenly across the ribbing (Note: work 1 SC in every end of ribbing row). CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 2 (WS): SC across. CH 2, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 3 (RS): DC across. CH 2, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 4 (WS): DC across. CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 5 (RS): SC across. CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

Repeat the last four sequences of rows (from ROW 2 to ROW 5) until you reach 52 (52, 52,

56, 56, 56, 60, 60, 60) rows total (ending with a ROW 4 rep.)

SHAPING NECK - We will now create the neck opening

ROW 53 (53, 53, 57, 57, 57, 61, 61, 61) (RS): SC 27 (31, 36, 38, 43, 48, 50, 54, 59) across,

SC2TOG. Place a stitch marker in the next unworked stitch. CH 1, turn. (28, 32, 37, 39, 44, 49, 51, 55, 60 sts)

ROW 54 (54, 54, 58, 58, 58, 62, 62, 62) (WS): SC2TOG, SC across. CH 2, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

ROW 55 (55, 55, 59, 59, 59, 63, 63, 63) (RS): DC across. CH 2, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

ROW 56 (56, 56, 60, 60, 60, 64, 64, 64) (WS): DC across. CH 1, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

ROW 57 (57, 57, 61, 61, 61, 65, 65, 65) (RS): SC across until 2 sts remain, SC2TOG. CH 1, turn. (26, 30, 35, 37, 42, 47, 49, 53, 58 sts)

ROW 58 (58, 58, 62, 62, 66, 66, 66) (WS): SC2TOG, SC across. CH 2, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 59 (59, 59, 63, 63, 63, 67, 67, 67) (RS): DC across. CH 2, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 60 (60, 60, 64, 64, 64, 68, 68) (WS): DC across. CH 1, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 61 (61, 61, 65, 65, 69, 69, 69) (RS): SC across until 2 sts remain, SC2TOG. CH 1, turn. (24, 28, 33, 35, 40, 45, 47, 51, 56 sts)

ROW 62 (62, 62, 66, 66, 66, 70, 70, 70) (WS): SC2TOG, SC across. CH 2, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 63 (63, 63, 67, 67, 71, 71, 71) (RS): DC across. CH 2, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 64 (64, 64, 68, 68, 68, 72, 72, 72) (WS): DC across. CH 1, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 65 (65, 65, 69, 69, 69, 73, 73, 73) (RS): SC across until 2 sts remain, SC2TOG. CH 1, turn. (22, 26, 31, 33, 38, 43, 45, 49, 54 sts)

ROW 66 (66, 66, 70, 70, 70, 74, 74, 74) (WS): SC2TOG, SC across. CH 2, turn. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts)

ROW 67 (67, 67, 71, 71, 75, 75, 75) (RS): DC across. CH 2, turn. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts)

ROW 68 (68, 68, 72, 72, 76, 76, 76) (WS): DC across. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts)



Fasten off leaving approx. 18" / 45 cm of yarn for seaming.

Now we have to work the other side of neck opening to complete

From first stitch marker, count 20 (20, 20, 24, 24, 24, 29, 29) sts (including first stitch marker in the count) and place a second stitch marker in last st. Attach new yarn and CH 1 in this marked st.

ROW 53 (53, 53, 57, 57, 61, 61, 61) (RS): in next st from our 2nd stitch marker, SC2TOG, SC across. CH 1, turn. (28, 32, 37, 39, 44, 49, 51, 55, 60 sts)

ROW 54 (54, 54, 58, 58, 58, 62, 62, 62) (WS): SC across until 2 sts remain, SC2TOG. CH 2, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

<u>ROW 55 (55, 55, 59, 59, 59, 63, 63, 63) (RS):</u> DC across. CH 2, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

ROW 56 (56, 56, 60, 60, 60, 64, 64, 64) (WS): DC across. CH 1, turn. (27, 31, 36, 38, 43, 48, 50, 54, 59 sts)

ROW 57 (57, 57, 61, 61, 61, 65, 65, 65) (RS): SC2TOG, SC across. CH 1, turn. (26, 30, 35, 37, 42, 47, 49, 53, 58 sts)

ROW 58 (58, 58, 62, 62, 66, 66, 66) (WS): SC across until 2 sts remain, SC2TOG. CH 2, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 59 (59, 59, 63, 63, 63, 67, 67, 67) (RS): DC across. CH 2, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 60 (60, 60, 64, 64, 64, 68, 68, 68) (WS): DC across. CH 1, turn. (25, 29, 34, 36, 41, 46, 48, 52, 57 sts)

ROW 61 (61, 61, 65, 65, 69, 69, 69) (RS): SC2TOG, SC across. CH 1, turn. (24, 28, 33, 35, 40, 45, 47, 51, 56 sts)

ROW 62 (62, 62, 66, 66, 66, 70, 70, 70) (WS): SC across until 2 sts remain, SC2TOG. CH 2, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 63 (63, 63, 67, 67, 67, 71, 71, 71) (RS): DC across. CH 2, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 64 (64, 64, 68, 68, 68, 72, 72, 72) (WS): DC across. CH 1, turn. (23, 27, 32, 34, 39, 44, 46, 50, 55 sts)

ROW 65 (65, 65, 69, 69, 69, 73, 73, 73) (RS): SC2TOG, SC across. CH 1, turn. (22, 26, 31, 33, 38, 43, 45, 49, 54 sts)

ROW 66 (66, 66, 70, 70, 70, 74, 74, 74) (WS): SC across until 2 sts remain, SC2TOG. CH 2, turn. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts)

ROW 67 (67, 67, 71, 71, 71, 75, 75, 75) (RS): DC across. CH 2, turn. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts)

ROW 68 (68, 68, 72, 72, 76, 76, 76) (WS): DC across. (21, 25, 30, 32, 37, 42, 44, 48, 53 sts) Fasten off leaving approx. 18" / 45 cm of yarn for seaming.

BACK PANEL - RIBBING

CH 7

ROW 1: SC in 2nd chain from hook and across. CH 1, turn. (6 sts)

ROW 2: SC BLO across. CH 1, turn. (6 sts)

ROW 3 until ROW 78 (86, 96, 104, 114, 124, 133, 141, 151): repeat ROW 2. Do not fasten off.



Turn work in order to work along the side of ribbing. CH 1.

BODY

ROW 1 (RS): place 78 (86, 96, 104, 114, 124, 133, 141, 151) SC evenly across the ribbing (**Note**: work 1 SC in every end of ribbing row). CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 2 (WS): SC across. CH 2, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts) ROW 3 (RS): DC across. CH 2, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 4 (WS): DC across. CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

ROW 5 (RS): SC across. CH 1, turn. (78, 86, 96, 104, 114, 124, 133, 141, 151 sts)

Repeat the last four sequences of rows (from ROW 2 to ROW 5) until you reach 68 (68, 68,

72, 72, 76, 76, 76) rows total (ending with a ROW 4 rep.)

Fasten off.

IT'S SEAMING TIME!

First let's mark the opening for the armholes on both front and back panel with a stitch marker.

Leave back panel RS facing up and put on it the front panel with WS facing up.

Starting from the top of the panel count 26 (27, 29, 31, 33, 36, 38, 40, 41) rows going down. Put your stitch marker here. Repeat on the other side.

Seam shoulders together using a whip stitch, being careful to sew evenly the parts.

Sew the sides starting from the ribbing up to the armpit where we put the stitch marker.

Once you have sewn all, turn your work right side out.





COLLAR

Attach new yarn to the center back of the neck opening. SC all around evenly, being careful to work 1 SC in each stitch on the back panel and 1 SC in each SC row + 2 SC in each DC row when working down and up the front panel. SL ST to first SC, CH 5.





ROW 1: SC in second chain from hook and across, SL ST into first and second SC of back panel (4 sts). Turn your work so you're working back into the ribbing.

Note: always skip the 2 SL STs when working back into the ribbing.

ROW 2: SC BLO across, CH 1, turn. (4 sts)







ROW 3: SC BLO across, SL ST into next 2 SC on back panel, turn. (4 sts)
Continue Working ROW 2 and ROW 3 until no SC on back and front panel remain. Seam both ends of ribbing together to finish the collar.

ARMHOLES



Attach new yarn to the armpit, CH 1.

ROW 1: SC all around evenly, being careful to work 1 SC in each SC row and 2 SC in each DC row when working up and down the body panels. SL ST to first SC, CH 1 and turn (we're working in turned rows).

ROW 2: SC across. SL ST to first SC, CH 1 and turn.

ROW 3: repeat ROW 2. Fasten off. Weave in all loose ends.



Voilà! You've finished your t-shirt!



Enjoy! Kristina | Wool Cuddles

